

3D-Vehicle Associated Research Fields for Smart City via Semantic Search Approach

Haluk Eren, Mucahit Karaduman

Abstract—This paper presents 15-year trends for scientific studies in a scientific database considering 3D and vehicle words. Two words are selected to find their associated publications in IEEE scholar database. Both of keywords are entered individually for the years 2002, 2012, and 2016 on the database to identify the preferred subjects of researchers in same years. We have classified closer research fields after searching and listing. Three years (2002, 2012, and 2016) have been investigated to figure out progress in specified time intervals. The first one is assumed as the initial progress in between 2002-2012, and the second one is in 2012-2016 that is fast development duration. We have found very interesting and beneficial results to understand the scholars' research field preferences for a decade. This information will be highly desirable in smart city-based research purposes consisting of 3D and vehicle-related issues.

Keywords—Vehicle, 3D, smart city, scholarly search, semantic.

I. INTRODUCTION

THIS work focuses on the tracking of associated fields of two keywords, 3D and vehicle. Many of the review studies include all the highlighted papers within a period of time. In contrast, we investigate specified studies in two different years whose duration in between is selected as ten years. Today's scientists intuitively believe that most of the computer vision related application fields have been widely studied for the last decade.

Many other review methods have been proposed and implemented for the same purposes. Such schemes include the studies of [1]-[9]. Our approach uses the one shot search by filtering two words on the IEEE Explore Database to find associated research fields. An example is the work of Macenko et al., which provides both a good explanation of the approach to using review and a highly relevant practical application in research areas [10].

The following sections describe the overall approach and experimental results. Conclusions are given at the end.

II. SEARCHING BY KEYWORDS FILTER

In this paper, determining most popular scientific research areas problem using keywords is tackled with selecting the scholar IEEE database search filter for 3D and vehicle based studies. This study has been realized for two-time duration. The first term is assumed as initial period and handled 10-year period during 2002-2012. The second is considered as fast progress period and handled 5-year period during 2012-2016.

Haluk Eren is with the School of Aviation, Air Traffic Management, Firat University, Elazig, Turkey (e-mail: he.edu.tr@gmail.com).

Mucahit Karaduman is with the Department of Computer Science, Inonu University, Malatya, Turkey (e-mail: mucahit.karaduman@inonu.edu.tr).

The results for three years (2002, 2012, 2016) can be seen in Table I.

We found thousands of studies when we tried individual keyword 3D or 'vehicle'. We have given the number of papers returned from IEEE Xplore Database for searching keywords, "vehicle", "3D" and "vehicle and 3D", for single years, 2002, 2012, and 2016. We have selected the returned results for keywords "vehicle" and "3D", which are totally 918, while the others have totally returned over 15000 as seen in Table I. The basic premise behind the underlying objective is that prediction of an entire picture on research areas is useful, desired, or even practical. In lieu of this reasoning, the 15-year gap is chosen to help to determine advancements in the next researches as the most likely trends of the next years.




Fig. 1 Searching system type

TABLE I
NUMBER OF PAPERS RETURNED FROM IEEE XPLORÉ DATABASE FOR SEARCHING KEYWORDS (VEHICLE, 3D AND "VEHICLE" AND "3D") FOR THE SINGLE YEARS, 2002, 2012, AND 2016. DATE:10 APR 2017

Keywords	Vehicle	3D	"Vehicle" and "3D"
2002-Num. of papers	2909	2150	76
2012-Num of papers	10448	7272	336
2016-Num. of papers	14371	7660	509
Total	27.728	17.082	918

Research fields can be listed as

1. 3D Reconstruction, Retrieval, Modeling, Simulation, Game, Virtual Reality, Visualization, Education.
2. UAV, Autonomous vehicle, Cooperative, Path Planning, Aerial, Unmanned.
3. Network, Wireless, Communication.
4. Sensor-based, Multisensory Fusion, Information Fusion,

- Multiband, Data Acquisition.
- 5. Tracking, Pose Estimation, Detection, Facial, Biometry, Collision Avoidance.
- 6. Heuristic, Optimization, Swarm.
- 7. Semiconductor, Fabrication, Packaging, RFID, Nano, Embedded, Photonics.
- 8. Detection-Classification, Localization, Segmentation, Recognition, Scene Understanding.
- 9. Behavior, Situational Awareness, Real-Time.
- 10. Spatial, Geo-Location, Mapping, Geo-Data, Navigation, Ocean.
- 11. Vehicle technology, Hybrid and Electric Vehicles
- 12. Others

Number of papers in the research fields above for three years is given in Table II.

III. EXPERIMENTAL RESULTS

Correlation between 2002 and 2012 is 0.7712, and correlation between 2012 and 2016 is 0.8091. High correlation means that researchers are conservative to generate novel scientific areas. As some of subjects are getting importance, some of them lost their popularity, but they compensate each other. Fig. 2 indicates the initial term for 2002-2012, and Fig. 3 represents the fast progress period of 2012-2016.




Fig. 2 2002-2012 distribution by research fields paper numbers

TABLE II
NUMBER OF PAPERS IN RESEARCH FIELDS FOR 2002, 2012, 2016

	2002 year	2012 year	2016 year	References
1	9	40	52	[11]-[20]
2	15	69	78	[21]-[29]
3	3	27	42	[30]-[38]
4	6	28	35	[39]-[47]
5	7	27	32	[48]-[54]
6	2	7	12	[55]-[63]
7	5	35	47	[64]-[72]
8	3	32	53	[73]-[80]
9	4	17	30	[81]-[88]
10	9	16	24	[89]-[96]
11	5	23	67	[97]-[103]
12	4	15	37	[104]-[112]
std. dev	3.62	15.93	18.36	
average	6.00	28.00	42.42	

Increase of standard deviation depicts some of research fields in 2012 which have been studied 4.40 times more than 2002, and even proportion of average values is 6.6. Those in 2016 have been studied 1.15 times more than 2012, and even

proportion of average values is 1.50. If we apply for T-test with 0.95 confidence, we find 0.0132 and it shows that there is a meaningful difference between two samples. Then, we can check the maximum and minimum two differences to interpret novel, developing and losing research areas.




Fig. 3 2012-2016 distribution by research fields paper numbers

Max differences between 2002-2012:

69-15=54 Autonomous vehicles

40-9=31 Reconstruction

Min differences between 2002-2012:

7-2=5 Heuristic

16-9=7 Spatial

Max differences between 2012-2016:

42-15=27 Vehicle technology

27-5=22 Others

Min differences between 2012-2016:

12-7=5 Heuristic

32-27=5 Tracking

Some of fields lose their popularity and some of them gain much. From Fig. 4, two peaks can be remarkable on the graphic, which are related to UAV and semiconductor manufacturing.




Fig. 4 2002-2012 number of papers in classified research fields

Both of them are promising area in researchers' opinions as

to 2012. The areas that stand out in 2016 are UAV and Vehicle technology. Advancements in unmanned vehicle is getting increased. Because the sense in this area was only in special applications 15 years ago, but towards 2016 scientists have been studying unmanned vehicles in agriculture, self-driving, chemical, nuclear, medical, space, nano industries. It indicates that as many industries rapidly develop, quantity and quality of unmanned researches in associated with mentioned areas will increase.

There is a close relationship between unmanned and IC fabrication-nano technology research fields, because both of them are related to the advancements of the associated industries such as chemical, medical, space, vehicle. Therefore, it motivates sharply quantities and quality in both research areas. On the other hand, Heuristic, Optimization, Swarm and Spatial, Geo-location, Mapping, Geo-data, Navigation, Ocean research areas are nearly the same as far as quantities of research. Common intuitions related to them are as below;

- Associated research fields are getting develop,
- They have been widely using,
- Industrial developments motivate research studies,
- Financial supports have still been continuing,
- Sub-sectors have been developed,
- Researchers believe that these areas are more promising in the future,
- Researchers have been following state of the art studies, and their quantities,
- Mentioned sectors are commonly critical for the countries around the world.




Fig. 5 Normal probability distribution of research fields

A. How to Build an Estimation Linkage in 2016 to 2012 Total Citation Numbers of Papers According to Research Fields in 2002

For computational efficiency, the estimated ROIs are searched in nine different positions for vehicles' images which match to those found in previous frames. The search strategy selected in this work is similar to the Matching Pursuit transform and the corresponding Gabor wavelets. In our case, however, the Gabor wavelet basis functions are adaptively formed in accordance with the shape and size of each vehicle being tracked.

A pair of datasets is used in experimentation from IEEE Xplore database, e.g. keywords for vehicle and 3D. Keywords provided in the databases are in AND constraint. Fig. 4 shows the results of the algorithm's tracking features. Over the course of the research progression, the approach tracks the

developments and contents of the specified years in a decade. This approach sketches attempts of researchers to isolate and track relevant promising research areas.

The red lines in the figure represent the tracked path of the objects, while the numbers act as bounding box labels. Close observation of the images shows that there are two kinds of tracked bounding boxes. One type is the single blue box as seen with regards to boxes 2 and 3, and the double lines green and blue boxes. Regions such as those of 2 and 3 exist because their associated feature is no longer being tracked, at least in the current frame. This can happen for one of three reasons; the object has moved off the screen, tracking has been temporarily lost on the object, or the object is an erroneously tracked region as in the case of region 3. Region 3 was an artifact associated with region 1 that was tracked across several frames.

Quantitative measurements of tracking error have been made in the least mean square sense (LMSE) yielding an acceptably low tracking error as in [2]. Here, the main goal is to capture and track the moving objects in various road conditions.

IV. CONCLUSIONS

This paper presents a time-varying search filter result for use with vehicle and 3D.

The motivations for attitudes of researchers can be stated as:

1. Most of researchers are considering up-to-date subjects.
2. Some of the subjects are not studied such as facial works in our example.
3. Unmanned fields are getting very promising.
4. Embedded and nano-scale fabrication is one of the mostly studied fields
5. Researchers are not reluctant to novel research fields, instead they prefer yielding return areas such as unmanned vehicle technologies and semiconductor industry. It verifies that researchers follow more concrete developments in selecting topic of study.
6. Between 2002 and 2016, researchers generate more papers in different research fields. Their attitudes are proportional to state of the art studies.

Future work involves extending the one shot pair of 2 years' study in a decade to every year in one-decade scheme with feature selectivity (e.g., real time, theoretical, industry based implementations).

REFERENCES

- [1] S. Atev and N. Papanikolopoulos, "Multi-view 3d vehicle tracking with a constrained filter," *ICRA*, pp. 2277 – 2282, 2008.
- [2] M. Celenk and J. Graham, "Traffic Surveillance Using a Gabor Filter Bank Based Kalman Motion Predictor," *Proc. VISAPP '08, Funchal, Maderia – Portugal, Jan 22-25, 2008*.
- [3] M. Celenk, Q. Zhou, V. Vetnes and R. Godavari, "Saliency field map construction for ROI-based color image querying," *Journal of Electronic Imaging*, Vol. 4, 2005.
- [4] L. Zhi-fang and Y. Zhisheng, "A Real-time Vision-based Vehicle Tracking and Traffic Surveillance," *8th ACIS Int. Conf. Software Eng., AI, Networking, and Parallel/Distributed Computing*, Vol. 1, pp. 174-179, 2007.
- [5] M. Maire and C. Kamath, "Tracking Vehicles in traffic Surveillance Video," *Lawrence Livermore National Laboratory (LLNL) Technical Report*, 2005.
- [6] S. Wang, Y. Wang, M. Jin, X. Gu and D. Samaras, "3D surface

- matching and recognition using conformal geometry," In *Computer Vision and Pattern Recognition*, Vol. 2, pp. 2453-2460, 2006.
- [7] C. C. R. Wang and J. J. J. Lien, "Automatic vehicle detection using local features—A statistical approach," *Transactions on Intelligent Transportation Systems*, 9(1), 83-96, 2008.
- [8] E. Maggio, M. Taj and A. Cavallaro, "Efficient multitarget visual tracking using random finite sets," *Transactions on Circuits and Systems for Video Technology*, 18(8), 1016-1027, 2008.
- [9] Q. Yu and G. Medioni, "A GPU-based implementation of Motion Detection from a Moving Platform," In *Computer Vision and Pattern Recognition Workshops, CVPRW'08*, pp. 1-6, 2008.
- [10] M. Macenko, R. Luo, M. Celenk, L. Ma and Q. Zhou, "Lesion detection using Gabor-based saliency field mapping," *International Society for Optics and Photonics*, pp. 65123E-65123E, 2007.
- [11] B. Delaney, "Computer graphics: helping to cope with terrorism," *Computer Graphics and Applications*, 22(2), 16-23, 2002.
- [12] Z. Hu, and K. Uchimura, "Dynamical road modeling and matching for direct visual navigation," In *Applications of Computer Vision, WACV*, pp. 237-241, 2002.
- [13] J. R. Samson, "Update on dependable multiprocessor CubeSat technology development," In *Aerospace Conference*, pp. 1-12, 2012.
- [14] L. Lin, T. Wang, Y. Huang, L. Wang, H. Zhang, and Y. Zheng, "The design and simulation experiment of full floating cab suspensions system for conventional heavy trucks," In *Mechatronics and Automation (ICMA)*, pp. 854-858, 2012.
- [15] J. Shi, H. Wei, and S. Shi, "Driving motion capture based driver behavior analysis," In *Intelligent Transportation Systems (ITSC)*, pp. 1166-1171, 2012.
- [16] R. Ren, W. Wang, J. Liu, Y. Li, and L. Wang, "Teleoperation of unmanned ground vehicles based on 3D trajectory prediction," In *Advanced Information Management, Communicates, Electronic and Automation Control Conference (IMCEC)*, pp. 790-794, 2016.
- [17] S. Houben, D. Droeschel, and S. Behnke, "Joint 3D laser and visual fiducial marker based SLAM for a micro aerial vehicle," In *Multisensor Fusion and Integration for Intelligent Systems (MFI)*, pp. 609-614, 2016.
- [18] H. Lee, S. Song, and S. Jo, "3D Reconstruction using a sparse laser scanner and a single camera for outdoor autonomous vehicle," In *Intelligent Transportation Systems (ITSC)*, pp. 629-634, 2016.
- [19] I. Kevin, K. Wang, O. Singh, E. L. Teh, and K. Aw, "3D terrain mapping vehicle for search and rescue," In *Sensing Technology (ICST)*, pp. 1-6, 2016.
- [20] M. Buczko, and V. Willert, "How to distinguish inliers from outliers in visual odometry for high-speed automotive applications," In *Intelligent Vehicles Symposium (IV)*, pp. 478-483, 2016.
- [21] K. Kanev, and S. Kimura, "Integrating dynamic full-body motion devices in interactive 3D entertainment," *Computer Graphics and Applications*, 22(4), 76-86, 2002.
- [22] M. Pesses, J. Tan, R. Hash, and R. Swartz, "Simulation of LWIR polarimetric observations of space objects," In *Applied Imagery Pattern Recognition Workshop*, pp. 164-170, 2002.
- [23] T. Tsubouchi, S. Sarata, H. Osumi, and M. Kurisu, "Introduction of yamazumi project-trial for autonomous heavy vehicles at construction site," In *Industrial Technology, ICIT'02*, Vol. 1, pp. 514-518, 2002.
- [24] J. Lannon, A. Hilton, A. Huffman, M. Lueck, E. Vick, S. Goodwin, and D. Temple, "Process integration and testing of TSV Si interposers for 3D integration applications," In *Electronic Components and Technology Conference (ECTC)*, pp. 268-273, 2012.
- [25] M. Ahmed, and K. Subbarao, "Estimation based cooperative guidance controller for 3D target tracking with multiple UAVs," In *American Control Conference (ACC)*, pp. 6035-6040, 2012.
- [26] E. R. Corral-Soto, R. Tal, L. Wang, R. Persad, L. Chao, C. Solomon, and J. H. Elder, "3D town: the automatic urban awareness project," In *Computer and Robot Vision (CRV)*, pp. 433-440, 2012.
- [27] F. Liao, S. Lai, Y. Hu, J. Cui, J. L. Wang, R. Teo, and F. Lin, "3D motion planning for UAVs in GPS-denied unknown forest environment," In *Intelligent Vehicles Symposium (IV)*, pp. 246-251, 2016.
- [28] A. Azizi, H. Nourisola, and A. R. Ghiasi, "3D inertial algorithm of SLAM for using on UAV," In *Robotics and Mechatronics (ICROM)*, pp. 122-129, 2016.
- [29] M. Karaduman, A. Çınar, and H. Eren, "Estimating UAV Route via Aerial Road Images," *International Conference on Engineering and Natural Science (ICENS)*, pp. 2432-2436, 2016.
- [30] A. Talukder, R. Manduchi, R. Castano, K. Owens, L. Matthies, A. Castano, and R. Hogg, "Autonomous terrain characterisation and modelling for dynamic control of unmanned vehicles," In *Intelligent Robots and Systems*, Vol. 1, pp. 708-713, 2002.
- [31] S. Bai, K. H. Low, and M. Y. Teo, "Path generation of walking machines in 3D terrain," In *Robotics and Automation, ICRA'02*, Vol. 3, pp. 2216-2221, 2002.
- [32] P. Dickson, J. Li, Z. Zhu, A. R. Hanson, E. M. Riseman, H. Sabrin, and G. Whitten, "Mosaic generation for under vehicle inspection," In *Applications of Computer Vision, (WACV)*, pp. 251-256, 2002.
- [33] M. Himmelsbach, and H. J. Wuensche, "Tracking and classification of arbitrary objects with bottom-up/top-down detection," In *Intelligent Vehicles Symposium (IV)*, pp. 577-582, 2012.
- [34] Z. Kira, B. Southall, S. Kuthirummal, B. Matei, R. Hadsell, and J. Eledath, "Multi-modal pedestrian detection on the move," In *Technologies for Practical Robot Applications (TePRA)*, pp. 157-162, 2012.
- [35] L. Azpilicueta, J. J. Astrain, H. Landaluce, I. Angulo, A. Perallos, J. Villadangos, and F. Falcone, "Analysis of an UHF-RFID system in a metallic closed vehicle," In *Antennas and Propagation (EUCAP)*, pp. 2009-2012, 2012.
- [36] C. Yao, W. Zhao, D. Ma, X. Yang, and H. Tang, "3D modelling of metal shield on circular coil pad for contactless electric vehicle charging using finite element analysis," In *Power Electronics Conference (SPEC)*, pp. 1-5, 2016.
- [37] C. W. Yang, T. H. Lee, C. L. Huang, and K. S. Hsu, "Unity 3D production and environmental perception vehicle simulation platform," In *Advanced Materials for Science and Engineering (ICAMSE)*, pp. 452-455, 2016.
- [38] W. Jing, J. Polden, P. Y. Tao, W. Lin, and K. Shimada, "View planning for 3D shape reconstruction of buildings with unmanned aerial vehicles," In *Control, Automation, Robotics and Vision (ICARCV)*, pp. 1-6, 2016.
- [39] M. Daginnus, R. Kronberger, and A. Stephan, "Ground plane effects on the performance of SDARS antennas," In *Antennas and Propagation Society International Symposium*, Vol. 4, pp. 748-751, 2002.
- [40] A. M. Waxman, D. A. Fay, B. J. Rhodes, T. S. McKenna, R. T. Ivey, N. A. Bomberger, and G. A. Carpenter, "Information fusion for image analysis: Geospatial foundations for higher-level fusion," In *Information Fusion*, Vol. 1, pp. 562-569, 2002.
- [41] T. Huntsberger, H. Aghazarian, Y. Cheng, E. T. Baumgartner, E. Tunstel, C. Leger, and P. S. Schenker, "Rover autonomy for long range navigation and science data acquisition on planetary surfaces," In *Robotics and Automation, Proceedings, ICRA'02*, Vol. 3, pp. 3161-3168, 2002.
- [42] S. Nicolas, S. Caplet, F. Greco, M. Audoin, X. Baillin, and S. Fanget, "3D MEMS high vacuum wafer level packaging," In *Electronic Components and Technology Conference (ECTC)*, pp. 370-376, 2012.
- [43] M. A. Olivares-Mendez, P. Campoy, I. Mellado-Bataller, and L. Mejias, "See-and-avoid quadcopter using fuzzy control optimized by cross-entropy," In *Fuzzy Systems (FUZZ-IEEE)*, pp. 1-7, 2012.
- [44] S. Liu, Y. Wei, and Y. Gao, "3D path planning for AUV using fuzzy logic," In *Computer Science and Information Processing (CSIP)*, pp. 599-603, 2012.
- [45] C. Fries, and H. J. Wuensche, "Real-time unsupervised feature model generation for a vehicle following system," In *Intelligent Transportation Systems (ITSC)*, pp. 2450-2455, 2016.
- [46] O. Karaduman, H. Eren, H. Kurum, and M. Celenk, "Road-Geometry-Based Risk Estimation Model for Horizontal Curves," *Transactions on Intelligent Transportation Systems*, 17(6), 1617-1627, 2016.
- [47] N. Fanani, M. Ochs, H. Bradler, and R. Mester, "Keypoint trajectory estimation using propagation based tracking," In *Intelligent Vehicles Symposium (IV)*, pp. 933-939, 2016.
- [48] H. Singh, G. Salgian, R. Eustice, and R. Mandelbaum, "Sensor fusion of structure-from-motion, bathymetric 3D, and beacon-based navigation modalities," In *Robotics and Automation (ICRA'02)*, Vol. 4, pp. 4024-4031, 2002.
- [49] A. Talukder, R. Manduchi, A. Rankin, and L. Matthies, "Fast and reliable obstacle detection and segmentation for cross-country navigation," In *Intelligent Vehicle Symposium*, Vol. 2, pp. 610-618, 2002.
- [50] P. Firoozfam, and S. Negahdaripour, "Multi-camera conical imaging: calibration and robust 3-D motion estimation for ROV based mapping and positioning," In *OCEANS'02*, Vol. 3, pp. 1595-1602, 2002.
- [51] P. Sinha, P. Esden-Tempski, C. A. Forrette, J. K. Gibboney, and G. M. Horn, "Versatile, modular, extensible vtol aerial platform with autonomous flight mode transitions," In *Aerospace Conference*, pp. 1-

- 17, 2012.
- [52] Y. G. Solovovich, M. G. Persova, T. B. Epanchintseva, D. S. Kiselev, D. V. Vagin, and V. K. Belov, "Finite element code for 3D numerical analysis of thermoelastic stresses in nose caps of hypersonic flight vehicles," In *Strategic Technology (IFOST)*, pp. 359-362, 2016.
- [53] W. McDowell, L. Martin, and W. B. Mikhael, "Vehicle classification via 3D geometries," In *Circuits and Systems (MWSCAS)*, pp. 1-4, 2016.
- [54] P. Niermeyer, V. S. Akkinapalli, M. Pak, F. Holzapfel, and B. Lohmann, "Geometric path following control for multirotor vehicles using nonlinear model predictive control and 3d spline paths," In *Unmanned Aircraft Systems (ICUAS)*, pp. 126-134, 2016.
- [55] D. Ju, Z. Xiaoguang, and T. Min, "Fuzzy logic control in autonomous ROV navigation," In *TENCON'02, Region 10 Conference on Computers, Communications, Control and Power Engineering*, Vol. 3, pp. 1566-1569, 2002.
- [56] A. F. Hmiel, R. Wicen, and S. Tang, "A novel process for protecting wire bonds from sweep during molding," In *Electronics Manufacturing Technology Symposium (IEMT)*, pp. 335-341, 2002.
- [57] K. A. Hashim, A. Ahmad, A. M. Samad, K. Nizam Tahar, and W.S. Udin, "Integration of low altitude aerial and terrestrial photogrammetry data in 3D heritage building modeling," In *Control and System Graduate Research Colloquium (ICSGRC)*, pp. 225-230, 2012.
- [58] R. J. Zhang, and D. Li, "The design and realization of 3D game engines based on textualized," In *Fuzzy Systems and Knowledge Discovery (FSKD)*, pp. 977-980, 2012.
- [59] J. Lalonde, R. Laganiere, and L. Martel, "Single-view obstacle detection for smart back-up camera systems," In *Computer Vision and Pattern Recognition Workshops (CVPRW)*, pp. 1-8, 2012.
- [60] P. Molchanov, X. Yang, S. Gupta, K. Kim, S. Tyree, and J. Kautz, "Online detection and classification of dynamic hand gestures with recurrent 3d convolutional neural network," *Computer Vision and Pattern Recognition*, pp. 4207-4215, 2016.
- [61] Y. Ye, L. Fu, and B. Li, "Object detection and tracking using multi-layer laser for autonomous urban driving," In *Intelligent Transportation Systems (ITSC)*, pp. 259-264, 2016.
- [62] N. B. Romdhane, H. Mliki, R. El Beji, and M. Hammami, "Combined 2d/3d traffic signs recognition and distance estimation," In *Intelligent Vehicles Symposium (IV)*, pp. 355-360, 2016.
- [63] Q. Rao, L. Krüger, and K. Dietmayer, "Monocular 3D shape reconstruction using deep neural networks," In *Intelligent Vehicles Symposium (IV)*, pp. 310-315, 2016.
- [64] L. Pedersen, "Science target assessment for Mars rover instrument deployment," In *Intelligent Robots and Systems*, Vol. 1, pp. 817-822, 2002.
- [65] R. Chapuis, J. Laneurid, R. Aufrere, F. Chausse, and T. Chateau, "Accurate vision based road tracker," In *Intelligent Vehicle Symposium*, Vol. 2, pp. 666-671, 2002.
- [66] A. Sehgal, D. Cernea, and M. Makaveeva, "Pose estimation and trajectory derivation from underwater imagery," In *OCEANS*, pp. 1-5, 2012.
- [67] Q. X. Nguyen, and S. Jo, "Electric wheelchair control using head pose free eye-gaze tracker," *Electronics Letters*, 48(13), 750-752, 2012.
- [68] I. Baldwin, and P. Newman, "Road vehicle localization with 2d push-broom lidar and 3d priors," In *Robotics and Automation (ICRA)*, pp. 2611-2617, 2012.
- [69] R. El-Makhour, M. Huard, and E. Lardjane, "Modeling and integration of automotive radiofrequency antennas for vehicle access systems," In *Antennas and Propagation (EUCAP)*, pp. 2324-2328, 2012.
- [70] J. Bao, Y. Gu, L. T. Hsu, and S. Kamijo, "Vehicle self-localization using 3D building map and stereo camera," In *Intelligent Vehicles Symposium (IV)*, pp. 927-932, 2016.
- [71] A. K. Ajjazi, P. Checchin, L. Malaterre, and L. Trassoudaine, "Automatic detection of vehicles at road intersections using a compact 3D Velodyne sensor mounted on traffic signals," In *Intelligent Vehicles Symposium (IV)*, pp. 662-667, 2016.
- [72] S. Ramazani, A. Gardner, and R. Selmic, "Neural network-based formation control of unmanned vehicles in 3D space," In *Control and Automation (MED)*, pp. 1065-1070, 2016.
- [73] J. H. Kim, Y. Matui, S. Hayakawa, T. Suzuki, S. Okuma, and N. Tsuchida, "Capturing and modeling of driving skill under three dimensional virtual environment," In *SICE*, Vol. 5, pp. 3208-3213, 2002.
- [74] J. Lobo, L. Almeida, and J. Dias, "Segmentation of dense depth maps using inertial data a real-time implementation," In *Intelligent Robots and Systems*, Vol.1, pp. 92-97, 2002.
- [75] Y. Huang, T. Wang, L. Lin, H. Gao, Y. Zheng, and Y. Xu, "The design and three-dimensional modeling of special cleaning-and-maintaining vehicles for tracks," In *Mechatronics and Automation (ICMA)*, pp. 1214-1219, 2012.
- [76] M. Obst, S. Bauer, P. Reisdorf, and G. Wanielik, "Multipath detection with 3D digital maps for robust multi-constellation GNSS/INS vehicle localization in urban areas," In *Intelligent Vehicles Symposium (IV)*, pp. 184-190, 2012.
- [77] V. Kogan, I. Shimshoni, and D. Levi, "Lane-level positioning with sparse visual cues," In *Intelligent Vehicles Symposium (IV)*, pp. 889-895, 2016.
- [78] B. Soheilian, X. Qu, and M. Brédif, "Landmark based localization: LBA refinement using MCMC-optimized projections of RJMCMC-extracted road marks," In *Intelligent Vehicles Symposium (IV)*, pp. 940-947, 2016.
- [79] J. Degerman, T. Pernstål, and K. Alenljung, "3D occupancy grid mapping using statistical radar models," In *Intelligent Vehicles Symposium (IV)*, pp. 902-908, 2016.
- [80] H. Mengwen, E. Takeuchi, Y. Ninomiya, and S. Kato, "Robust virtual scan for obstacle Detection in urban environments," In *Intelligent Vehicles Symposium (IV)*, pp. 683-690, 2016.
- [81] M. Eisenbarth, and K. Feldmann, "Pressfit technology for 3-D molded interconnect devices (MID)-A lead-free alternative to solder joints-challenges and solutions concepts," In *Electronics Manufacturing Technology Symposium (IEMT)*, pp. 238-244, 2002.
- [82] M. K. Tsai, Y. L. Lin, W. Hsu, and C. W. Chen, "Content-based vehicle retrieval using 3d model and part information," In *Acoustics, Speech and Signal Processing (ICASSP)*, pp. 1025-1028, 2012.
- [83] Y. L. Lin, "Investigating 3D model and part information for improving content-based and attribute-based object retrieval," *ACM International Conference on Multimedia*, pp. 1409-1412, 2012.
- [84] S. Saito, Y. Murata, T. Takayama, and N. Sato, "An international driving simulator: Recognizing the sense of a car body by the simulator," In *Advanced Information Networking and Applications Workshops (WAINA)*, pp. 254-260, 2012.
- [85] M. Mirzaei, N. Meskin, and F. Abdollahi, "Robust distributed consensus of autonomous underwater vehicles in 3D space," In *Control, Decision and Information Technologies (CoDIT)*, pp. 399-404, 2016.
- [86] M. Mirzaei, F. Abdollahi, and N. Meskin, "Global stabilization of autonomous underactuated underwater vehicles in 3D space," In *Advanced Intelligent Mechatronics (AIM)*, pp. 148-153, 2016.
- [87] W. Wang, F. Wang, P. Liu, Y. He, and X. Zhang, "A monovision-based 3D pose estimation system for vehicle behavior prediction," In *Vehicular Electronics and Safety (ICVES)*, pp. 1-6, 2016.
- [88] Z. Ai, M. A. Livingston, and I. S. Moskowitz, "Real-time unmanned aerial vehicle 3D environment exploration in a mixed reality environment," In *Unmanned Aircraft Systems (ICUAS)*, pp. 664-670, 2016.
- [89] E. A. Widder, "Splat Cam: Mapping plankton distributions with bioluminescent road-kill," In *OCEANS'02*, Vol. 3, pp. 1711-1715, 2002.
- [90] D. Christie, C. Jiang, D. Paudel, and C. Démonceaux, "3D reconstruction of dynamic vehicles using sparse 3D-laser-scanner and 2D image fusion," In *Informatics and Computing (ICIC)*, pp. 61-65, 2012.
- [91] S. Li, X. Jiang, H. Qian, and Y. Xu, "Vehicle 3-dimension measurement by monocular camera based on license plate," In *Robotics and Biomimetics (ROBIO)*, pp. 800-806, 2016.
- [92] L. de Paula Veronese, J. Guivant, F. A. A. Cheein, T. Oliveira-Santos, F. Mutz, E. de Aguiar, and A. F. De Souza, "A light-weight yet accurate localization system for autonomous cars in large-scale and complex environments," In *Intelligent Transportation Systems (ITSC)*, pp. 520-525, 2016.
- [93] S. R. E. Datondji, Y. Dupuis, P. Subirats, and P. Vasseur, "Rotation and translation estimation for a wide baseline fisheye-stereo at crossroads based on traffic flow analysis," In *Intelligent Transportation Systems (ITSC)*, pp. 1534-1539, 2016.
- [94] S. Hwang, N. Kim, Y. Choi, S. Lee, and I. S. Kweon, "Fast multiple objects detection and tracking fusing color camera and 3D Lidar for intelligent vehicles," In *Ubiquitous Robots and Ambient Intelligence (URAI)*, pp. 234-239, 2016.
- [95] A. Shamshirgaran, and F. Abdollahi, "Dynamic coverage control via underactuated autonomous underwater vehicles in unknown 3D environment," In *Control, Instrumentation, and Automation (ICCIA)*, pp. 333-338, 2016.
- [96] S. Yuan, and H. Schumacher, "Vehicle microwave radar system for 2D and 3D environment mapping," In *Microwaves for Intelligent Mobility*

- (ICMIM), pp. 1-3, 2016.
- [97] K. Peterson, "Three-dimensional navigation," In *OCEANS'02*, Vol. 2, pp. 1046-1050, 2002.
- [98] L. Wei, X. Jin, and Z. Wu, "3D modeling based on multiple Unmanned Aerial Vehicles with the optimal paths," In *Intelligent Signal Processing and Communication Systems (ISPACS)*, pp. 1-6, 2016.
- [99] S. Roelofsen, A. Martinoli, and D. Gillet, "3D collision avoidance algorithm for Unmanned Aerial Vehicles with limited field of view constraints," In *Decision and Control (CDC)*, pp. 2555-2560, 2016.
- [100] R. Ren, W. Wang, and Y. Li, "Real-Time 3D Tele-operation of Unmanned Ground Vehicles," In *Intelligent Human-Machine Systems and Cybernetics (IHMSC)*, Vol. 1, pp. 322-325, 2016.
- [101] J. Sochor, A. Herout, and J. Havel, "BoxCars: 3D Boxes as CNN Input for Improved Fine-Grained Vehicle Recognition," *Computer Vision and Pattern Recognition*, pp. 3006-3015, 2016.
- [102] K. Acharya, and D. Ghoshal, "3D computer animation of biomimetic underwater vehicle with magnetic levitation technology," In *Electrical, Electronics, and Optimization Techniques (ICEEOT)*, pp. 2644-2647, 2016.
- [103] X. Liang, X. Zhao, S. Li, Q. Wang, and W. Lu, "A 3D geometry-based scattering model for vehicle-to-vehicle wideband MIMO relay-based cooperative channels," *China Communications*, 13(10), 1-10, 2016.
- [104] H. Sedaghati, S. H. H. Sadeghi, and R. Moini, "Susceptibility analysis of electronic devices in ground vehicles to electromagnetic field radiated by cellular phones," In *Electromagnetic Compatibility*, pp. 722-725, 2002.
- [105] A. P. Schulz, S. Finkel, and M. Wieser, "Design Center-a collaborative environment for the integrated development of products and services," In *Computer Supported Cooperative Work in Design*, pp. 151-157, 2002.
- [106] C. Yu, X. Xiang, and J. Dai, "3D heuristic path following for under-actuated autonomous underwater vehicle with bounded controls and control rates," In *OCEANS*, pp. 1-6, 2016.
- [107] W. Jing, J. Polden, W. Lin, and K. Shimada, "Sampling-based view planning for 3D visual coverage task with Unmanned Aerial Vehicle," In *Intelligent Robots and Systems (IROS)*, pp. 1808-1815, 2016.
- [108] A. Asvadi, P. Girão, P. Peixoto, and U. Nunes, "3D object tracking using RGB and Lidar data," In *Intelligent Transportation Systems (ITSC)*, pp. 1255-1260, 2016.
- [109] M. Michael, C. Feist, F. Schuller, and M. Tschentscher, "Fast Change Detection for Camera-based Surveillance Systems," In *Intelligent Transportation Systems (ITSC)*, pp. 2481-2486, 2016.
- [110] S. Klemm, M. Essinger, J. Oberländer, M. R. Zofka, F. Kuhnt, M. Weber, and J. M. Zöllner, "Autonomous multi-story navigation for valet parking," In *Intelligent Transportation Systems (ITSC)*, pp. 1126-1133, 2016.
- [111] M. Kusenbach, M. Himmelsbach, and H. J. Wuensche, "A new geometric 3D Lidar feature for model creation and classification of moving objects," In *Intelligent Vehicles Symposium (IV)*, pp. 272-278, 2016.
- [112] A. Al-Kaff, Q. Meng, D. Martín, A. de la Escalera, and J. M. Armingol, "Monocular vision-based obstacle detection/avoidance for unmanned aerial vehicles," In *Intelligent Vehicles Symposium (IV)*, pp. 92-97, 2016.