

# Using Discrete Event Simulation Approach to Reduce Waiting Times in Computed Tomography Radiology Department

Mwafak Shakoor

**Abstract**—The purpose of this study was to reduce patient waiting times, improve system throughput and improve resources utilization in radiology department. A discrete event simulation model was developed using Arena simulation software to investigate different alternatives to improve the overall system delivery based on adding resource scenarios due to the linkage between patient waiting times and resource availability. The study revealed that there is no addition investment need to procure additional scanner but hospital management deploy managerial tactics to enhance machine utilization and reduce the long waiting time in the department.

**Keywords**—Arena, Computed Tomography (CT), Discrete event simulation, Healthcare modeling, Radiology department, Waiting time.

## I. INTRODUCTION

THE healthcare sector in Saudi Arabia has been grown very fast in recent decades due to the high priority and attention given by the government into this sector. The government invested larger amounts of money in this sector in order to improve the health services in terms of quality and quantity. Therefore; health services in Saudi Arabia have been substantially increased and improved due to the generous investment in this sector [1]. The quality of health services can be measured by the productivity, waiting times, efficiency, patient satisfaction and stressed medical staff [2]. Despite of the high attention into this sector, the public healthcare sector in Saudi Arabia undergoes many challenges due to increase in high demand for health services that attributed to the population growth rate. According to governmental statistical reports, the annual population growth rate for 2007 to 2013 was 2.7% per year [3]. This increase in demand for health services requires new policies and strategies to be adopted by the Ministry of Health (MOH) in Saudi Arabia to face the demand challenges from hospitals such as services in emergency departments, outpatients departments (OPD), laboratories, radiology departments, ...etc.

Radiology departments at hospitals are experiencing increasing rates of patients demand and hence suffering from inability to accommodate these high rates of demand. Therefore; the increased demand for radiology department services will lead to a considerable increase in the patients waiting times and subsequently will negatively affect the patients' satisfaction for the provided services. Thus;

improving the radiology department performance to reduce the patient waiting times, increase throughput and improve patient satisfaction is the overall target to achieve.

Improvement of healthcare systems such as radiology departments has to be judge on the bases of quantitative figures for the impact of suggested scenarios of amendment. In recent years, simulation showed to be an efficient decision making tool that have been applied to solve healthcare problems in USA, UK and other countries. Discrete event simulation proved to be an effective studying tool that has been widely applied in healthcare organization and proved considerable success in assessing of the inefficiency of the existing systems, probe the relationship between system variables, study the impact of possible changes and evaluate the suggested alternatives for improvement [4].

Several discrete event simulation studies have been carried out to study and evaluate the patients waiting times at radiology department. O'Kane [5] applied simulation to model a diagnostic radiology department and Klafehn [6] used simulation approach to study the points that effect in patient flows through a radiology department. Thereafter; Coffin et al. [7] conducted a simulation study to investigate waiting time and staff allocation in order to improve patient flow in X-ray facility. Reference [8] used discrete event simulation to investigate six different scenarios for staff and physical resources variation at the radiology department in Jackson Memorial Hospital (JMH) in Dade County, Florida, USA to define the impact of these variations on patient flow and utilization of the operating rooms and department staff. The study specified the appropriate cost – effective labor level for each process and determined further revisions to improve process and service efficiencies.

An attempt is made within this paper to apply discrete event simulation approach to the radiology department within a regional hospital in the southern part of the Kingdom of Saudi Arabia. The hospital is a 574 bedded, nonprofit, teaching, government run hospital located in the southern region of Saudi Arabia. The radiology department at this hospital is considered to be one of the busiest departments and more than 23000 patients visit this department every year. One of the major aims of hospital management for the radiology department is to reduce the patient waiting time and increase the productivity in order to improve the quality of services in this department. Therefore; to achieve this goal, a discrete event simulation model has been constructed for the existing system and proposed alternatives to test the impact of

Mwafak Shakoor is with the Industrial Engineering Department, King Khalid University, Abha, Saudi Arabia (e-mail: mmshakoor@yahoo.com).

additional resources on the patients waiting times and determine the optimum number of required resources in the radiology department.

## II. FUNDAMENTALS OF DISCRETE EVENT SIMULATION IN HEALTHCARE SYSTEM

Discrete event simulation (DES) is defined as a form of computer based modeling of systems operations as it evolve over time where the state variables changes only at a separated set of points in time [9]–[11]. DES was originally developed in 1960s in industrial engineering and operations research to help in the analysis and improvement of industrial and business systems and since then; DES became a common and an efficient decision making tool in healthcare organization for the analysis and optimization of patient flow, planning and determining the optimal required healthcare resources (staff and equipments) to increase throughput, improve patient flow, increase patient satisfaction and reduce healthcare delivery expenses. DES was applied in different disciplines of sciences and healthcare was one of these disciplines.

Discrete event simulation has been widely applied in healthcare applications and it has increased over the last 40 years [12]. The application of DES was mainly in the analysis of healthcare systems for the purpose of reducing waiting times, increasing productivity and improving the delivered services of healthcare organizations. Discrete event simulation has been applied in different healthcare facilities like **hospitals** [13]–[21], **emergency departments** [22]–[33], **special units** [34]–[37], **intensive care units** [38]–[42], **surgical procedures** [43]–[53], **demographic health provision** [54]–[57], **outpatient clinics** [58]–[65], and **facilities allocated in the health care supply chain** [66]–[68].

Discrete even simulation has an important advantage in allowing designers (model builders) to build very high complex models for healthcare organizations and enabling modelers in answering "what if" question to test different alternatives and scenarios at no cost. Deciding on the success or failure of a DES study depends on a set of standard steps that can be followed by a model builder. References [9], [10], and [69] summarized the most common steps necessary for a successful classical DES study. The basic steps include problem formulation, overall plan of study, model conceptualization, data collection, model translation, verification, validation, experimental design, production run and analysis using the computer model, documentation, and implementation. It is noted that problem formulation, data collection, and model translation are key steps for a successful simulation study. Therefore; failure to conduct a successful DES study in healthcare organization will result in lives losses. Hence; a constructed tutorials for conducting a DES study in healthcare organization was provided by Mahachek [70].

## III. METHODOLOGY

### A. Data Collection

Data collection is one of the most important, difficult, and challenging tasks that faces a model builder in any simulation and modeling study [9]. The accuracy of results and conclusions in simulation studies depends on a robust and high quality of the collected input data. The famous principle "garbage – in garbage – out" or (GIGO) is a basic concept in computer science which is pertinent to data collection in discrete event simulation. Poor quality or inaccurate collected data will result with a misleading modeling output data even though the model is valid and representing the system in a correct way.

In this study, an actual data was collected over 12 months period by the research team and from the radiology department past records. Also, interviews with the radiology department staff were conducted to gain a deep understanding of the department processes. The data were collected for the computed tomography (CT) section in the radiology department. Data were collected for equipment and staff capacity, arrival times, processing times and waiting times for the CT section of the radiology department. Processing time data collection required the observation of the system over the entire workday by recording the patient arrival and departure times. The required time for a patient to undress and dress their cloths was incorporated into the operation processing time. In addition to that, the waiting times for patients in the radiology department were calculated as the time interval from the moment patients scheduled to receive the imaging procedure to the time they were collected by imaging staff. The CT radiology department operates for one shift (8:00 am – 4:00 pm) per day and there was a one hour break scheduled between 12:00 pm – 1:00 pm. Also, there are three resources (scanning machines) in this department.

The collected data showed that the patients arrival rate at the radiology department is according to Poisson statistical distribution with a mean value of  $\lambda = 0.08883$  and units in days and the processing time is according to the Triangular statistical distribution (14.4125, 20, 89.508) with units in minutes. Fig. 1 shows the arrival pattern while Fig. 2 shows the probability density function that best fits these data. From Fig. 1, it is clear that there is a high variability in the demand (number of patients per day) in the CT radiology department.

Staff in the radiology department work only for five days per week (Sunday till Thursday) and there is a technician on call for urgent cases on Fridays and Saturdays therefore, only urgent cases can be handled on these two days and can be processed at the same time.

### B. Simulation Model

Simulation is considered to be as one of the most powerful tool used for analysis, planning and decision making for design and operation of complex system. Therefore; a simulation model for the existing system at the radiology department was developed for the purpose of understanding the system behavior and investigate various suggested

scenarios and strategies for the processes in this department without disruption to staff and patients. The impact of changing the number of resources in the radiology department will be investigated. Also, the model is used to understand the complex interactions between the various factors that control the operations in the radiology department. Arena simulation software was used for developing the model and analyzing the results. The arrival patients in the model join a single FIFO queue discipline in the waiting room. Once the patient done with the imaging process, he or she will be discharged from the department.




Fig. 1 Patients arrival pattern per day




Fig. 2 Poisson probability density function for arrival rate at CT department

The simulation model was carried out for a period of 12 months and the study was repeated for 100 replications. The results of the 100 runs were averaged by Arena simulation software. In addition to that, a warm up period of 30 days was used in the model because it starts from an empty status.

#### IV. RESULTS AND DISCUSSION

As mentioned earlier, the main target of this study was to reduce the long waiting time (14 days) in the CT radiology department as claimed by the management and shown on their reports. Interviewing the department staff about patients

scheduling and machine failure or breakdown revealed that appointments were scheduled on an hourly bases during the working day and machine breakdown are not common but rare and the machines are well serviced and maintained.

In this study, all alternatives and scenarios are investigated and "what if" questions were tested. Table I shows the simulation results as an average time values. Simulation results showed that it is impractical to use one resource because the waiting time will be too long. Unfortunately, the simulation results for average waiting time, average total time and average waiting number in queues by running three CT scanners was significantly less than the numbers and times claimed by the department staff and management. Also, the impact of adding one more CT scanner to increase the total number to four was investigated but it did not improve the situation substantially (did not reducing the waiting time). Hence, if the three CT scanning machines well utilized, then all patients should get scanned in the same day with zero day waiting time and the waiting time before get scanned will be 31 minutes. Therefore, it is suggested that:

- 1) Schedule appointments on the bases of 20 – 30 minutes during the working day.
- 2) Management should investigate the reasons behind the long waiting time in the CT.
- 3) Department management should keep a control on their employees and train them well.

TABLE I  
SIMULATION RESULTS UNDER DIFFERENT SCENARIOS

No. of resources	Average waiting number (patients)	Average Waiting Time (min)	Average Total Time (min)
2	2.38	100.58	141.79
3	0.75	30.9584	72.1897

Department management claims that there is a delay in preparing scanning reports which it took between 5–7 days to be ready and handy, therefore; it is suggested that the hospital hire one additional specialist or subcontract with other hospitals to speed the reports preparing process.

#### V. CONCLUSION

These papers demonstrated how simulation can be used to study, investigate and understand complex systems such as a radiology department. This study demonstrated how Arena simulation software can be helpful in better understanding the system under study and support decision making process. Also, simulation can stimulate the hospital management to conduct an investigation on quantitative and qualitative bases for any flows in the system operations. It is shown that three CT scanners are enough if they well utilized and there is no need for any addition CT scanning machines but the long waiting time before the patients can approach the radiology department can be attributed to managerial issues. In addition to that, simulation allows analysts to investigate all alternatives and scenarios without any disruption to the actual system.

The limitations of this study can be highlighted as (1) the data quality affect the simulations results as explained in the

data collection section, and (2) the data provided from the radiology department records needed a long time for filtration which affect the sample size.

## REFERENCES

- [1] S. Walston, Y. Al-Harbi, and B. Al-Omar, "The changing face of healthcare in Saudi Arabia," *Annals of Saudi Medicine*, 28:243–250, 2008.
- [2] Shankar Purbey, Kampan Mukherjee, and Chandan Bhar, "Performance measurement system for healthcare processes," *International Journal of Productivity and Performance Management*, Vol. 56, Iss: 3, pp. 241 – 251, 2007.
- [3] Key indicators. Central Department of Statistics and Information, Saudi Arabia (online database) (<http://www.cdsi.gov.sa/english>).
- [4] J. B. Jun, S. H. Jacobson, and J. R. Swisher, "Application of discrete-event simulation in health care clinics: A survey," *J. Oper. Res. Soc.*, Vol. 50, No. 2, pp. 109–123, Feb. 1999.
- [5] P. C. O'Kane, "A simulation model of a diagnostic radiology department," *European Journal of Operation Research*, Vol. 6, pp. 38 – 45, 1981.
- [6] Klafehn, "Impact points in patient flows through a radiology department provided through simulation," *Proceedings of the 1987 Winter Simulation Conference*, Institute of Electrical and Electronics Engineers, Atlanta, Georgia, USA, pp. 914 – 918, 14 – 16 December.
- [7] M. A. Coffin, G. Lassiter, B. Killingsworth, and J. W. Kleckley, "A simulation model of an X – ray facility," *1993 SCS Western Multiconference on Simulation: Simulation in the Health Sciences and Services*, Society for Computer Simulation, La Jolla, California, USA, pp. 3 – 7, 17 – 20 January 1993.
- [8] M. A. Centeno, C. Albacete, D. O. Terzano, M. Carrillo, and T. Ogazon, "A simulation study of the radiology department at JMH," *Proceedings of the 2000 Winter Simulation Conference*, Institute of Electrical and Electronics Engineers, Orlando, Florida, USA, pp. 1978 – 1984, 10 – 13 December 2000.
- [9] J. Banks, J. S. Carson II, B. L. Nelson, and D. M. Nicol, *Discrete event system simulation*, 4 edition, Prentice Hall, **New Jersey, USA**, 2004.
- [10] Averill M. Law, and W. David, *Simulation Modelling and Analysis*, 3<sup>rd</sup> edition, McGraw Hill Higher Education, New York, USA, 2000.
- [11] David Kelton, Randall Sadowski, and Nancy Zupick, *Simulation with Arena*, 5<sup>th</sup> edition, McGraw-Hill, New York, USA, 2009.
- [12] S. H. Jacobson, S. N. Hall, and J. R. Swisher, "Discrete-event simulation of health care systems, patient flow: reducing delay in healthcare delivery", *Int Ser Oper Res Manag Sci*, 91, pp. 211–52, 2006.
- [13] J. M. H. Vissers, "Patient flow-based allocation of inpatient resources: A case study," *European Journal of Operational Research*, vol. 105, pp. 356-370, 1998.
- [14] L. Moreno, R. M. Aguilar, C. A. Martin, J. D. Pineiro, J. I. Estevez, J. F. Sigut, J. L. Sanchez, and V. I. Jimenez, "Patient-centered simulation tool for aiding in hospital management," *Simulation Practice and Theory*, vol. 7, pp. 373-393, 1999.
- [15] P. R. Harper, "A Framework for Operational Modelling of Hospital Resources," *Health Care Management Science*, vol. 5, pp. 165-173, 2002.
- [16] T. R. Rohleder, and K. J. Klassen, "Rolling Horizon Appointment Scheduling: A Simulation Study," *Health Care Management Science*, vol. 5, pp. 201-209, 2002.
- [17] P. R. Harper, and A. K. Shahani, "Modelling for the planning and management of bed capacities in hospitals," *Journal of the Operational Research Society*, vol. 53, pp. 11-18, 2002.
- [18] J. K. Cochran, and A. Bharti, "A multi-stage stochastic methodology for whole hospital bed planning under peak loading," *International Journal of Industrial and Systems Engineering*, vol. 1, pp. 8-36, 2006.
- [19] D. Sundaramoorthi, V. C. P. Chen, J. M. Rosenberger, S. B. Kim, and D. B. Behan, *A data-integrated simulation model to evaluate nurse-patient assignments*, Technical Report IMSE 06-05, The University of Texas at Arlington, 2006.
- [20] W. J. Gutjahr, and M. S. Rauner, "An ACO algorithm for a dynamic regional nurse-scheduling problem in Austria," *Computers & Operations Research*, vol. 34, pp. 642- 666, 2007.
- [21] J. M. H. Vissers, I. J. B. F. Adan, and N. P. Dellaert, "Developing a platform for comparison of hospital admission systems: An illustration," *European Journal of Operational Research*, vol. 180, pp. 1290-1301, 2007.
- [22] I. K. Altinel, and E. Ulas, "Simulation modeling for emergency bed requirement planning," *Annals of Operations Research*, vol. 67, pp. 183-210, 1996.
- [23] J. T. Blake, and M. W. Carter, "An analysis of emergency room wait time issues via computer simulation," *INFOR*, vol. 34, pp. 263–273, 1996.
- [24] C. J. Gonzalez, M. Gonzalez, and N. M. Rios, "Improving the quality of service in an emergency room using simulation-animation and total quality management," *Computers & Industrial Engineering*, vol. 33, pp. 97-100, 1997.
- [25] A. Bagust, M. Place, and J. W. Posnett, "Dynamics of bed use in accommodating emergency admissions: stochastic simulation model," *BMJ*, vol. 319, pp. 155-158, 1999.
- [26] D. C. Lane, C. Monfeldt, and J. V. Rosenhead, "Looking in the wrong place for healthcare improvements: A system dynamics study of an accident and emergency department," *Journal of the Operational Research Society*, vol. 51, pp. 518-531, 2000.
- [27] R. Ashton, L. Hague, M. Brandreth, D. Worthington, and S. Cropper, "A simulation-based study of a NHS Walk-in Centre," *Journal of the Operational Research Society*, vol. 56, pp. 153-161, 2005.
- [28] D. Sinreich, and Y. N. Marmor, "Emergency Departments Operations: The Basis for Developing a Simulation Tool," *IIE Transactions*, vol. 37, pp. 233-245, 2005.
- [29] J.-Y. Yeh, and W.-S. Lin, "Using simulation technique and genetic algorithm to improve the quality care of a hospital emergency department," *Expert Systems with Applications*, vol. 32, pp. 1073-1083, 2007.
- [30] N. R. Hoot, L. J. Leblanc, I. Jones, S. R. Levin, C. Zhou, C. S. Gadd, and D. Aronsky, "Forecasting Emergency Department Crowding: A Discrete Event Simulation," *Annals of Emergency Medicine*, vol. 52, pp. 116-125, 2008.
- [31] Nabeel Mandahawi; Sameh Al-Shihabi; Abdallah A. Abdallah, and Yousuf M. Alfarah, "Reducing waiting time at an emergency department using design for Six Sigma and discrete event simulation," *Int. J. Six Sigma and Competitive Advantage*, vol. 6, Nos. 1/2, pp. 91 – 104, 2010.
- [32] Lee-Min Wang, Shao-Jen Weng, Chun-Yueh Chang, Bing-Chuin Cheng, and Shu Ting Kwong, "Simulation Optimization for Emergency Department Resources Allocation," *Proceedings of the 2011 Winter Simulation Conference*, pp. 1231 – 1238, 2011.
- [33] Zhen Zeng, Xiaoji Ma, Yao Hu, Jingshan Li, and Deborah Bryant, "A simulation study to improve quality of care in the emergency department of a community hospital," *Journal of emergency nursing*, vol. 38, issue 4, pp. 322 – 328, 2012.
- [34] E. El-Darzi, C. Vasilakis, T. Chausset, and P. H. Millard, "A simulation modelling approach to evaluating length of stay, occupancy, emptiness and bed blocking in a hospital geriatric department," *Health Care Management Science*, vol. 1, pp. 143-149, 1998.
- [35] J. Bowers, and G. Mould, "Ambulatory Care and Orthopaedic Capacity Planning," *Health Care Management Science*, vol. 8, pp. 41-47, 2005.
- [36] L. V. Green, S. Savin, and B. Wang, "Managing Patient Service in a Diagnostic Medical Facility," *Operations Research*, vol. 54, pp. 11-25, 2006.
- [37] J. P. Oddoye, D. F. Jones, M. Tamiz, and P. Schmidt, "Combining simulation and goal programming for healthcare planning in a medical assessment unit," *European Journal of Operational Research*, vol. 193, pp. 250-261, 2009.
- [38] J. C. Ridge, S. K. Jones, M. S. Nielsen, and A. K. Shahani, "Capacity planning for intensive care units," *European Journal of Operational Research*, vol. 105, pp. 346-355, 1998.
- [39] S.-C. Kim, I. Horowitz, K. K. Young, and T. A. Buckley, "Analysis of capacity management of the intensive care unit in a hospital," *European Journal of Operational Research*, vol. 115, pp. 36-46, 1999.
- [40] S.-C. Kim, I. Horowitz, K. K. Young and T. A. Buckley, "Flexible bed allocation and performance in the intensive care unit," *Journal of Operations Management*, vol. 18, pp. 427-443, 2000.
- [41] S.-C. Kim, and I. Horowitz, "Scheduling hospital services: the efficacy of electivesurgery quotas," *Omega*, vol. 30, pp. 335-346, 2002.
- [42] N. Litvak, M. Van Rijsbergen, R. J. Boucherie and M. Van Houdenhoven, "Managing the overflow of intensive care patients," *European Journal of Operational Research*, vol. 185, pp. 998-1010, 2008.
- [43] W. E. Mcaleer, J. A. Turner, D. Lismore and I. A. Naqvi, "Simulation of a hospital's theatre suite," *Journal of Management in Medicine*, vol. 9, pp. 14-26, 1995.
- [44] F. Dexter, A. Macario, R. D. Traub, M. Hopwood, and D. A. Lubarsky,

- "An Operating Room Scheduling Strategy to Maximize the Use of Operating Room Block Time: Computer Simulation of Patient Scheduling and Survey of Patients," *Preferences for Surgical Waiting Time. Anesth Analg*, vol. 89, pp. 7-20, 1999.
- [45] J. E. Everett, "A Decision Support Simulation Model for the Management of an Elective Surgery Waiting System," *Health Care Management Science*, vol. 5, pp. 89-95, 2002.
- [46] D. C. Tyler, C. A. Pasquariello, and C.-H. Chen, "Determining Optimum Operating Room Utilisation," *Anesth Analg*, vol. 96, pp. 1114-1121, 2003.
- [47] J. Bowers, and G. Mould, "Managing uncertainty in orthopaedic trauma theatres," *European Journal of Operational Research*, vol. 154, pp. 599-608, 2004.
- [48] A. Sciomachen, E. Tanfani, and A. Testi, "Simulation model for optimal schedules of operating theatres," *International Journal of Simulation*, vol. 6, pp. 26-34, 2005.
- [49] A. Jebali, A. B. Hadj Alouane, and P. Ladet, "Operating rooms scheduling," *International Journal of Production Economics*, vol. 99, pp. 52-62, 2006.
- [50] M. Lamiri, X. Xie, A. Dolgui, and F. Grimaud, "A stochastic model for operating room planning with elective and emergency demand for surgery," *European Journal of Operational Research*, vol. 185, pp. 1026-1037, 2008.
- [51] B. Cardoen, and E. Demeulemeester, "Evaluating the capacity of clinical pathways through discrete-event simulation," *FETEW Research Report KBL\_0724*, 2007.
- [52] C. Vasilakis, B. G. Sobolev, L. Kuramoto, and A. R. Levy, "A simulation study of scheduling clinic appointments in surgical care: individual surgeon versus pooled lists," *Journal of the Operational Research Society*, vol. 58, pp. 202-211, 2007.
- [53] J. M. Lehtonen, J. Kujala, J. Kouri, and M. Hippelainen, "Cardiac surgery productivity and throughput improvements," *International Journal of Health Care Quality Assurance*, vol. 20, pp. 40-52, 2007.
- [54] S. C. K. Chu, and L. Chu, "A modeling framework for hospital location and service allocation," *International Transactions in Operational Research*, vol. 7, pp. 539-568, 2000.
- [55] C. Vasilakis, and E. El-Darzi, "A simulation study of the winter bed crisis," *Health Care Management Science*, vol. 4, pp. 31-36, 2001.
- [56] F. Pasin, M. H. Jobin, and J. F. Cordeau, "An application of simulation to analyse resource sharing among health-care organizations," *International Journal of Operations & Production Management*, vol. 22, pp. 381-393, 2002.
- [57] R. Davies, P. Roderick, and J. Raftery, "The evaluation of disease prevention and treatment using simulation models," *European Journal of Operational Research*, vol. 150, pp. 53-66, 2003.
- [58] F. Huarnag, and M. H. Lee, "Using simulation in out-patient queues: a case study," *International Journal of Health Care Quality Assurance*, vol. 9, pp. 21-25, 1996.
- [59] J. R. Swisher, S. H. Jacobson, J. B. Jun, and O. Balci, "Modeling and analyzing a physician clinic environment using discrete-event (visual) simulation," *Computers and Operations Research*, vol. 28, pp. 105-125, 2001.
- [60] V. De Angelis, G. Felici, and P. Impelluso, "Integrating simulation and optimisation in health care centre management," *European Journal of Operational Research*, vol. 150, pp. 101-114, 2003.
- [61] L. W. Robinson, and R. R. Chen, "Scheduling doctors' appointments: optimal and empirically-based heuristic policies," *IIE Transactions*, vol. 35, pp. 295 – 307, 2003.
- [62] P. R. Harper, and H. M. Gamlin, "Reduced outpatient waiting times with improved appointment scheduling: a simulation modelling approach," *OR Spectrum*, vol. 25, pp. 207-222, 2003.
- [63] S. Dodds, "Designing improved healthcare processes using discrete event simulation," *The British Journal of Healthcare Computing & Information Management*, vol. 22, pp. 14-16, 2005.
- [64] A. K. A. Wijewickrama, "Simulation analysis for reducing queues in mixed patients' outpatient department," *International Journal of Simulation Modelling*, vol. 5, pp. 56-68, 2006.
- [65] T. Rohleder, D. Bischak, and L. Baskin, "Modeling patient service centers with simulation and system dynamics," *Health Care Management Science*, vol. 10, pp. 1-12, 2007.
- [66] S. C. K. Chu, C. K. Y. Lin, and S. S. Lam, "Hospital lift system simulator: A performance evaluator-predictor," *European Journal of Operational Research*, vol. 146, pp. 156-180, 2003.
- [67] A. K. A. Wijewickrama, "Optimum number of parking spaces in a hospital: a simulation analysis," *International Journal of Simulation Modelling*, vol. 83, pp. 132-141, 2004.
- [68] R. Haijema, J. Van Der Wal, and N. M. Van Dijk, "Blood platelet production: Optimisation by dynamic programming and simulation," *Computers & Operations Research*, vol. 34, pp. 760-779, 2007.
- [69] R. E. Shannon, *Systems Simulation: The Art and Science*, prentice – Hall, Englewood Cliffs, NJ, USA, 1975.
- [70] A. Mahachek, "An introduction to patient flow simulation for healthcare managers," *Journal of the Society for Health Systems*, vol. 3, No. 3, pp. 73 – 81, 1992.