

Solving Fuzzy Multi-Objective Linear Programming Problems with Fuzzy Decision Variables

Mahnaz Hosseinzadeh, Aliyeh Kazemi

Abstract—In this paper, a method is proposed for solving Fuzzy Multi-Objective Linear Programming problems (FMOLPP) with fuzzy right hand side and fuzzy decision variables. To illustrate the proposed method, it is applied to the problem of selecting suppliers for an automotive parts producer company in Iran in order to find the number of optimal orders allocated to each supplier considering the conflicting objectives. Finally, the obtained results are discussed.

Keywords—Fuzzy multi-objective linear programming problems, triangular fuzzy numbers, fuzzy ranking, supplier selection problem.

I. INTRODUCTION

IN optimizing real world systems, one usually ends up with a linear or nonlinear programming problem [1]. The real life decision problems have two main properties. The first one is to have conflicting objectives in the problem structure, and the second one is the fuzziness in the description of problem parameters [2]. The first application of Fuzzy Sets Theory (FST) to decision-making processes was presented by Bellman and Zadeh [3], and the concept of fuzzy mathematical programming on general level was first proposed by Tanaka et al. [4]. The first formulation of fuzzy linear programming (FLP) is proposed by Zimmermann [5]. Various fuzzy linear programming techniques are surveyed in literature which are classified into two main classes: fuzzy linear programming [6]-[12] and possibilistic linear programming [13]-[18]. For the sake of simplicity, usually these techniques consider only crisp solutions of the fuzzy problems [19]. Generally speaking, in fuzzy linear programming problems, the coefficients of decision variables are fuzzy numbers, while decision variables are the crisp ones. This means that, in an uncertain environment, a crisp decision is made to meet some decision criteria [20]; thus, the decision-making process is constrained to crisp the decisions that hide the fuzzy aspect of the problem [19]. Then, some authors have developed the fuzzy linear programming problems in which all the parameters as well as the variables are represented by fuzzy numbers is known as FFLP problems [21]-[27]. These problems do not show enough understanding of the extension principle.

The paper is organized as follows: in Section II, some basic definitions of fuzzy set theory and arithmetic between two triangular fuzzy numbers are reviewed; in Section III

formulation of FMOLPP with fuzzy right hand side and fuzzy decision variables are discussed; in Section IV a new method is proposed for solving FMOLPP presented in Section III; to illustrate the proposed method, it is applied to a real life allocation problem and the obtained results are discussed in Section V; conclusion is drawn in Section VI.

II. PRELIMINARIES

Definition 1. A fuzzy number $\tilde{A} = (m_A, w_A, \acute{w}_A)$ is a LR type if and only if:

$$A(x) = \begin{cases} L\left(\frac{m_A - x}{w_A}\right) & -\infty < x \leq m_A \\ R\left(\frac{x - m_A}{\acute{w}_A}\right) & m_A \leq x < +\infty \end{cases} \quad w_A, \acute{w}_A \geq 0 \quad (1)$$

where m_A is the center, and w_A and \acute{w}_A are the left and right bandwidths of \tilde{A} , respectively. This is a parametric form of fuzzy number \tilde{A} , so we can show it as a triangular shape as (2):

$$\tilde{A} \equiv (m, w_A, \acute{w}_A)_{LR} \quad (2)$$

Definition 2. Given two triangular fuzzy numbers $\tilde{A} = (a, w_A, \acute{w}_A)_{LR}$ and $\tilde{B} = (b, w_B, \acute{w}_B)_{LR}$, $\tilde{B} < \tilde{A}$ if and only if:

$$b < a \text{ and } w_B + \acute{w}_B \geq w_A + \acute{w}_A \quad (3)$$

and $\tilde{B} = \tilde{A}$ if and only if

$$b = a \text{ and } w_B + \acute{w}_B = w_A + \acute{w}_A \quad (4)$$

Definition 3. A triangular fuzzy number $\tilde{A} = (a, w_A, \acute{w}_A)_{LR}$ is said to be non-negative fuzzy number if and only if $a - w_A \geq 0$.

Definition 4. Given two fuzzy numbers $\tilde{A} = (a, w_A, \acute{w}_A)_{LR}$ and $\tilde{B} = (b, w_B, \acute{w}_B)_{LR}$ with continuous nondecreasing function over $[0, \infty)$, fuzzy Arithmetic operations are defined as (5)-(9):

$$A + B = (a + b, w_A + w_B, \acute{w}_A + \acute{w}_B)_{LR} \quad (5)$$

$$A - B = (a - b, w_A + \acute{w}_B, \acute{w}_A - w_B)_{LR} \quad (6)$$

$$(a, w_A, \acute{w}_A)_{LR} \cdot (b, w_B, \acute{w}_B)_{LR} \approx (a \cdot b, aw_B + bw_A, a\acute{w}_B + b\acute{w}_A)_{LR} \quad (7)$$

$$(a, w_A, \acute{w}_A)_{LR} \cdot (b, w_B, \acute{w}_B)_{LR} \approx (a \cdot b, -a\acute{w}_B + bw_A, -a\acute{w}_B + b\acute{w}_A)_{LR} \quad (8)$$

$$c \cdot (a, w_A, \acute{w}_A)_{LR} = (ca, cw_A, c\acute{w}_A)_{LR} \quad (9)$$

Mahnaz Hosseinzadeh is with the Department of Industrial Management, Faculty of Management, University of Tehran, Tehran, Iran, (corresponding author, phone: 00989177113560; e-mail: mhosseinzadeh@ut.ac.ir).

Aliyeh Kazemi is with the Department of Industrial Management, Faculty of Management, University of Tehran, Tehran, Iran. (e-mail: aliyehekazemi@ut.ac.ir).

III. A MULTI OBJECTIVE LINEAR PROGRAMMING PROBLEM WITH TRIANGULAR FUZZY VARIABLES AND RIGHT HAND SIDE NUMBER

A multi objective linear programming problem with triangular fuzzy variables and right hand side number is defined as (10):

$$\begin{aligned} \max (\min) \tilde{Z}_P &= c_{p1}(x_{1m}, w_1, \hat{w}_1) + c_{p2}(x_{2m}, w_2, \hat{w}_2) + \dots + \\ &c_{pn}(x_{nm}, w_n, \hat{w}_n) \quad \forall P = 1, \dots, p \\ \text{s.t. } &\alpha_{i1}(x_{Mm}, w_1, \hat{w}_1) + \alpha_{i2}(x_{mm}, w_2, \hat{w}_2) + \dots + \\ &\alpha_{in}(x_{nm}, w_n, \hat{w}_n) \leq [b_i, b_{iw}, b_{i\hat{w}}] \quad i = 1, \dots, M \\ &(x_{jm}, w_j, \hat{w}_j) \geq 0 \quad j = 1, \dots, n \end{aligned} \quad (10)$$

where

$$\tilde{x} = (x_m, w, \hat{w}), b = (b, b_w, b_{\hat{w}}), x_m = \text{core}(\tilde{x}), b = \text{core}(\tilde{b})$$

and $w, \hat{w}, b_w, b_{\hat{w}}$ are the bandwidths of \tilde{x} and \tilde{b} respectively. $\tilde{x} \in E^n, \tilde{b} \in E^M, A = [a_{ij}]^{M \times n} \in R^{M \times n}, C \in R^n$.

Definition 5. We say that fuzzy vector $\tilde{x} = (x_{jm}, w_j, \hat{w}_j)$ is a fuzzy feasible solution to the problem (10) if \tilde{x} satisfies the constraints of the problem.

Definition 6. A fuzzy feasible solution \tilde{x}^* is a fuzzy optimal solution of (10), if for all fuzzy feasible solution \tilde{x} for (10), we have $c\tilde{x}^* \succeq (\leq)c\tilde{x}$

IV. PROPOSED METHOD TO FIND THE FUZZY OPTIMAL SOLUTION OF THE PROBLEM 3-1

In this section, a new method is proposed to find the fuzzy optimal solution of the (3.1) type of FMOLPP:

Step 1. Consider each objective function of the model subject to all constraints exist in the original problem separately and define P single objective problems.

Step 2. Using arithmetic operations, defined in Definition 4, the single objective fuzzy linear programming problem, obtained in Step 1, is converted into (11):

$$\begin{aligned} \max (\min) (Z_{Pm}, Z_{Pw}, Z_{P\hat{w}}) &= \\ (\sum_{j=1}^n c_j x_{jm}, \sum_{j=1}^n c_j w_j, \sum_{j=1}^n c_j \hat{w}_j) \quad \forall P = 1, \dots, p \\ \text{s.t. } (\sum_{j=1}^n \alpha_{ij} x_{jm}, \sum_{j=1}^n \alpha_{ij} w_j, \sum_{j=1}^n \alpha_{ij} \hat{w}_j) &\left(\begin{matrix} \leq \\ \geq \end{matrix} \right) \\ (b_{im}, b_{iw}, b_{i\hat{w}}) \quad \forall i = i = 1, \dots, M \\ \tilde{x} = (x_{jm}, w_j, \hat{w}_j) \text{ is non-negative } &j = 1, \dots, n \end{aligned} \quad (11)$$

Step 3. Using the fuzzy ranking method defined in Definition 2, the problem (11) is converted to a crisp LP problem as (12):

$$\begin{aligned} \max (\min) (Z_{Pm}) &= \sum_{j=1}^n c_j x_{jm} \\ \min (\max) (Z_{Pw} + Z_{P\hat{w}}) &= \sum_{j=1}^n c_j w_j + c_j \hat{w}_j \quad \forall P = 1, \dots, p \\ \text{s.t. } \sum_{j=1}^n \alpha_{ij} x_{jm} &\left(\begin{matrix} \leq \\ \geq \end{matrix} \right) b_{im} \quad \forall i = 1, \dots, M \\ \sum_{j=1}^n \alpha_{ij} (w_j + \hat{w}_j) &\left(\begin{matrix} \geq \\ \leq \end{matrix} \right) b_{iw} + b_{i\hat{w}} \quad \forall i = 1, \dots, M \\ x_{jm} - w_j &\geq 0 \quad j = 1, \dots, n \end{aligned} \quad (12)$$

Step 4. Find the optimal solution of all P single objective problems \tilde{x}_P^* using the CLP presented in Step 3, and then calculate $Z_P^* = (Z_{Pm}^*, Z_{Pw}^*, Z_{P\hat{w}}^*)$ for each $P = 1, \dots, p$

Step 5. Define a new single objective function subject to crisp constraints defined in Step 3 as (13):

$$\begin{aligned} \min \sum_{P=1}^p w_P [(Z_{Pm}, Z_{Pw}, Z_{P\hat{w}}) - (Z_{Pm}^*, Z_{Pw}^*, Z_{P\hat{w}}^*)] \\ \text{s.t. } \sum_{j=1}^n \alpha_{ij} x_{jm} &\left(\begin{matrix} \leq \\ \geq \end{matrix} \right) b_{im} \quad \forall i = 1, \dots, M \\ \sum_{j=1}^n \alpha_{ij} (w_j + \hat{w}_j) &\left(\begin{matrix} \geq \\ \leq \end{matrix} \right) b_{iw} + b_{i\hat{w}} \quad \forall i = 1, \dots, M \\ x_{jm} - w_j &\geq 0 \quad j = 1, \dots, n \end{aligned} \quad (13)$$

where $w_P, P = 1, \dots, p$ is the weight of objective function P determined by DM.

Step 6. Find the optimal solution of Step 5 which is an efficient solution of the original FMOLP problem.

V. APPLICATION OF THE PROPOSED MODEL TO THE SUPPLIER SELECTION PROBLEM

In this section, the proposed approach is applied to a supplier selection and order allocation problem for an automotive part producer company.

The company needs about 2400 pieces of a special kind of automotive part per month. 10 suppliers in the car industry are able to supply these parts. The company aims to select at least four of them and to determine the optimal amount of orders allocated to each supplier. Three different objectives need to be met as follows:

- Minimizing the total production time;
- 1- Minimizing the total amount of scrap;
- 2- Maximizing the delivery reliability percent of the parts.

Total variable cost should not exceed about 13000 for each month. Considering the imprecise demand per month, the triangular fuzzy number [2400, 200, 200] is used in the right hand side of the constraint related to it. In regard to the imprecise demand, the total variable cost would be imprecise and is presented by the triangular fuzzy number [13000, 1000, 1000] in the constraint related to variable cost.

Data needed to build the model are provided by the company in Table I:

| company | delivery reliability percent | rate of scrap per part | variable cost per part | production time per part |
|---------|------------------------------|------------------------|------------------------|--------------------------|
| 1 | 0.9 | 0.333 | 6.009 | 239.16 |
| 2 | 0.6 | 0.166 | 5.57 | 282.14 |
| 3 | 0.5 | 0.166 | 5.853 | 224 |
| 4 | 0.9 | 0.416 | 5.152 | 221.25 |
| 5 | 1.3 | 0.5 | 5.985 | 231.25 |
| 6 | 1.1 | 0.75 | 6.444 | 339.8 |
| 7 | 0.4 | 0.83 | 5.05 | 217.5 |
| 8 | 0.6 | 0.95 | 4.898 | 211.66 |
| 9 | 0.9 | 0.5 | 7.28 | 336.25 |
| 10 | 0.6 | 0.333 | 7.37 | 348 |

According to problem (10), model (14) is proposed to satisfy the objectives of the company considering its demands and constraints:

$$\begin{aligned} \text{Min } \tilde{Z}_1 &= 239.16(x_{1m}, w_1, w_1) + 282.14(x_{2m}, w_2, w_2) + \\ &224(x_{3m}, w_3, w_3) + 221.25(x_{4m}, w_4, w_4) + \\ &231.25(x_{5m}, w_5, w_5) + 339.8(x_{6m}, w_6, w_6) + \\ &217.5(x_{7m}, w_7, w_7) + 211.66(x_{8m}, w_8, w_8) + \\ &336.25(x_{9m}, w_9, w_9) + 348(x_{10m}, w_{10}, w_{10}) \\ \text{Min } \tilde{Z}_2 &= 0.333(x_{1m}, w_1, w_1) + 0.166(x_{2m}, w_2, w_2) + \\ &0.166(x_{3m}, w_3, w_3) + 0.416(x_{4m}, w_4, w_4) + 0.5(x_{5m}, w_5, w_5) + \\ &0.75(x_{6m}, w_6, w_6) + 0.83(x_{7m}, w_7, w_7) + 0.95(x_{8m}, w_8, w_8) + \\ &0.5(x_{9m}, w_9, w_9) + 0.333(x_{10m}, w_{10}, w_{10}) \\ \text{Max } \tilde{Z}_3 &= 0.9(x_{1m}, w_1, w_1) + 0.6(x_{2m}, w_2, w_2) + \\ &0.5(x_{3m}, w_3, w_3) + 0.9(x_{4m}, w_4, w_4) + 1.3(x_{5m}, w_5, w_5) + \\ &1.1(x_{6m}, w_6, w_6) + 0.4(x_{7m}, w_7, w_7) + 0.6(x_{8m}, w_8, w_8) + \\ &0.9(x_{9m}, w_9, w_9) + 0.6(x_{10m}, w_{10}, w_{10}) \end{aligned}$$

Subject to:

$$\begin{aligned} &6.009(x_{1m}, w_1, w_1) + 5.57(x_{2m}, w_2, w_2) + \\ &4.898(x_{3m}, w_3, w_3) + 5.152(x_{4m}, w_4, w_4) + \\ &5.985(x_{5m}, w_5, w_5) + 6.444(x_{6m}, w_6, w_6) + 5.05(x_{7m}, w_7, w_7) + \\ &5.853(x_{8m}, w_8, w_8) + 7.28(x_{9m}, w_9, w_9) + \\ &7.37(x_{10m}, w_{10}, w_{10}) \leq [13000 \ 1000 \ 1000] \end{aligned}$$

(14)

$$\begin{aligned} &(x_{1m}, w_1, w_1) + (x_{2m}, w_2, w_2) + (x_{3m}, w_3, w_3) + \\ &(x_{4m}, w_4, w_4) + (x_{5m}, w_5, w_5) + (x_{6m}, w_6, w_6) + (x_{7m}, w_7, w_7) + \\ &(x_{8m}, w_8, w_8) + (x_{9m}, w_9, w_9) + (x_{10m}, w_{10}, w_{10}) \leq \\ &[2400 \ 200 \ 200] \end{aligned}$$

$$x_{jm} - w_j \geq 100y_j$$

$$x_{jm} - w_j \leq 2600y_j \quad j = 1, \dots, 10$$

$$y_1 + y_2 + y_3 + y_4 + y_5 + y_6 + y_7 + y_8 + y_9 + y_{10} \geq 5$$

$$x_{jm} \geq 0 \text{ and integer} \quad w_j \geq 0 \text{ and integer} \quad j = 1, \dots, 10$$

$$y_1, y_2, y_3, y_4, y_5, y_6, y_7, y_8, y_9, y_{10} = 0 \text{ or } 1$$

where, \tilde{x}_j = fuzzy number of orders allocated to j th supplier
 $y_j = 0$ or 1 , the binary variable of selection of j th supplier or not, \tilde{Z}_1 = the total production time, \tilde{Z}_2 = total amount of scrap, \tilde{Z}_3 = total delivery reliability percent of all parts.

Constrain (1): total demand of parts,

Constrain (2): total variable cost.

Constrain (3): if j th supplier is selected, the number of its order allocation will be neither less than 100 nor more than 2600.

According to (12) the crisp MOLP is represented in (15).

$$\begin{aligned} \text{max } Z &= 135.66 x_{1m} + 185.14x_{2m} + 157x_{3m} + 159.25x_{4m} + \\ &91.25x_{5m} + 384.8x_{6m} + 512.25x_{7m} + 506.66x_{8m} + \\ &316.25x_{9m} + 334.5x_{10m} \\ \text{min } W &= 675.66w_1 + 545.14w_2 + 457w_3 + 699.25w_4 + \\ &871.25w_5 + 384.8w_6 + 752.5w_7 + 866.66w_8 + 856.25w_9 + \\ &694.5w_{10} \end{aligned}$$

s.t:

$$\begin{aligned} &6.009x_{1m} + 5.57x_{2m} + 4.898x_{3m} + 5.152x_{4m} + 5.985x_{5m} + \\ &6.444x_{6m} + 5.05x_{7m} + 5.853x_{8m} + 7.28x_{9m} + 7.37x_{10m} \leq \\ &13000 \\ &6.009w_1 + 5.57w_2 + 4.898w_3 + 5.152w_4 + 5.985w_5 + \\ &6.444w_6 + 5.05w_7 + 5.853w_8 + 7.28w_9 + 7.37w_{10} \geq 1000 \end{aligned}$$

(15)

$$\begin{aligned} &x_{1m} + x_{2m} + x_{3m} + x_{4m} + x_{5m} + x_{6m} + x_{7m} + x_{8m} + x_{9m} + \\ &x_{10m} \leq 2400 \\ &w_1 + w_2 + w_3 + w_4 + w_5 + w_6 + w_7 + w_8 + w_9 + w_{10} \geq 200 \\ &x_{jm} - w_j \geq 100y_j \quad j = 1, 2, \dots, 10 \\ &x_{jm} - w_j \leq 2600y_j \quad j = 1, 2, \dots, 10 \\ &y_1 + y_2 + y_3 + y_4 + y_5 + y_6 + y_7 + y_8 + y_9 + y_{10} \geq 5 \\ &x_{jm} \geq 0 \text{ and integer} \quad w_j \geq 0 \text{ and integer} \quad j = 1, \dots, 10 \end{aligned}$$

The final result obtained from solving the model is presented below:

$$\begin{aligned} \tilde{x}_1 &= (100,0,0) \quad \tilde{x}_2 = (100,0,0) \quad \tilde{x}_4 = (1587,0,0) \quad \tilde{x}_5 = \\ &(613,200,200) \\ \tilde{Z}_1^* &= (517078.14, 46250, 46250) \\ \tilde{Z}_2^* &= (1016.592, 100, 100) \\ \tilde{Z}_3^* &= (2375.2, 260, 260) \end{aligned}$$

Results show that suppliers 1, 2, 4 and 5 are the best options for the company, and the amount of orders allocated to them and the acceptable tolerance of decisions according to the fuzziness in the company are determined. So, the impreciseness of the decisions is presented precisely, and there is no need to do sensitivity analysis of the inexact right hand side numbers. The owners of the company confirmed the results as reasonable.

VI. CONCLUSION

In this paper, a new method was proposed to find the fuzzy optimal solution of FMOLPP with fuzzy right hand side and fuzzy decision variables. By using the proposed method, the fuzzy optimal solution of FMOLPP which occurs in real life situation, can be easily obtained. With the aid of this method, decision makers can obtain fuzzy decisions to reflect the inherent fuzziness of a decision problem and the need to do sensitivity analysis after obtaining a crisp solution decreases. To illustrate the proposed method, a real life order allocation problem to some suppliers was solved and the results satisfied the owners of the company.

REFERENCES

- [1] Gu Zhang, Y.H. Wu, M. Remias, J. Lu, 0020 Formulation of fuzzy linear programming problems as four-objective constrained optimization problems, Applied Mathematics and Computation 139 (2003) 383–399.
- [2] F. Arkan, Z. Ial Gungor, A two-phase approach for multi-objective programming problems with fuzzy coefficients, Information Sciences 177 (2007) 5191–5202.
- [3] L.A. Zadeh, Fuzzy sets, Information and Control 8 (1965) 338–353.
- [4] H. Tanaka, T. Okuda, K. Asai, On fuzzy mathematical programming, J. Cybernetics Syst. 3 (1973) 37–46.
- [5] H.J. Zimmermann, Fuzzy programming and linear programming with several objective functions, Fuzzy Sets and Systems 1 (1978) 45–55. S
- [6] J. L., Verdegay, Fuzzy mathematical programming, in (BM15), (1982)231-236
- [7] B., Warners, Interactive Multiple Objective Programming subject to flexible constraint, European Journal of Operational Research, 31 (1987) 342-349.
- [8] B., Warners, An Interactive Fuzzy Programming system, Fuzzy Sets and Systems, 23 (1987) 131-147.
- [9] H. J., Zimmerman, Describing an optimization of fuzzy systems, international Journal of General System2 (1976)209-216.
- [10] S., Chanas, te use of parametric programming in FLP, Fuzzy sets and Systems, 11 (1983) 243-251.
- [11] J. L., Verdegay, A dual approach to solve the fuzzy Linear Programming Problem, Fuzzy Sets and Systems, 14 (1984) 131-141.
- [12] J. L., Verdegay, Application of fuzzy optimization in operational research, Control and Sybernetics, 13 (1984) 229-239.
- [13] C., Carlsson and P. Corhonen, A parametric approach to fuzzy linear programming, Fuzzy Sets and Systems, 20 (1986) 17-30.
- [14] J., Ramik and J., Rimanek, Inequality relation between fuzzy numbers and its use in fuzzy otimization, fuzzy Sets and Systems, 16 (1985) 123-138.

- [15] H., Tanaka, H. Ichihashi and K. Asai, A formulation of fuzzy Linear Programming Problems based on comparison of fuzzy numbers, *Control and cybernetics*, 13 (1984) 186- 194.
- [16] Y.J., Lai and C.L. Hwang, A new approach to some possibilistic linear programming problems, *Fuzzy Sets and Systems* 49 (1992).
- [17] H. Rommelfanger, R. Hanuscheck and J. Wolf, Linear programming with fuzzy objectives, *Fuzzy Sets and Systems* 29 (1989) 31- 48.
- [18] J.J. Buckley, Possibilistic Linear programming with triangular fuzzy numbers, *Fuzzy Sets and Systems*, 26 (1988) 159- 174.
- [19] C. Stanculescu, Ph. Fortemps, M. Install, V. Wertz, Multiobjective fuzzy linear programming problems with fuzzy decision variables, *European Journal of Operational Research* 149 (2003) 654-675.
- [20] H. Tanaka, P. Guo, H.J. Zimmermann, Possibility distributions of fuzzy decision variables obtained from possibilistic linear programming problems, *Fuzzy Sets and Systems* 113 (2000) 323-332.
- [21] H.R. Maleki, M. Tata, M. Mashinchi, Linear programming with fuzzy variables, *Fuzzy Set. Syst.* 109 (2000) 21-33.
- [22] J. Buckley, T. Feuring, Evolutionary algorithm solution to fuzzy problems: fuzzy linear programming, *Fuzzy Set. Syst.* 109 (2000) 35-53.
- [23] S.M. Hashemi, M. Modarres, E. Nasrabadi, M.M. Nasrabadi, Fully fuzzified linear programming, solution and duality, *J. Intell. Fuzzy Syst.* 17 (2006) 253-261.
- [24] T. Allahviranloo, F.H. Lotfi, M.K. Kiasary, N.A. Kiani, L. Alizadeh, Solving full fuzzy linear programming problem by the ranking function, *Appl. Math. Sci.*2 (2008) 19-32.
- [25] A Kumar, J Kaur, P Singh, A new method for solving fully fuzzy linear programming problems, *Applied Mathematical Modelling* 35 (2011) 817-823.
- [26] M. Dehghan, B. Hashemi, M. Ghatee, Computational methods for solving fully fuzzy linear systems, *Appl. Math. Comput.* 179 (2006) 328-343.
- [27] F.H. Lotfi, T. Allahviranloo, M.A. Jondabeha, L. Alizadeh, Solving a fully fuzzy linear programming using lexicography method and fuzzy approximate solution, *Appl. Math. Modell.* 33 (2009) 3151-3156.