

Evaluation of Leagile Criteria Using DEMATEL Approach

Naveen Virmani, Rajeev Saha, Rajeshwar Sahai

Abstract—There is drastic change in manufacturing era in last two decades. It has become mandatory for the industries to become aware of latest and advanced manufacturing technologies and strategies. Leagile manufacturing focuses on minimizing the wastes and meeting customers' requirements in minimum time possible. However, it becomes difficult to implement all leagile tools simultaneously in industry. In this paper, 17 main criteria of leagile manufacturing have been found and DEMATEL (Decision Making Trial and Evaluation Laboratory) approach has been applied to analyze importance of criteria and casual relations among these criteria.

Keywords—Agile, DEMATEL approach, lean, leagilemanufacturing.

I. INTRODUCTION AND LITERATURE REVIEW

L EAGILE is a combination of both lean and agile manufacturing. Lean tries to eliminate all those activities which do not add value to the product. Lean Manufacturing tries to eliminate different types of wastes that include overproduction, motion, transportation, defects, inventory, etc. Agility can be defined as business wide practice that enables enterprise to respond to sudden changes and meet widely varied customer requirements. Postponement is delaying of operational activities in a system until customer orders are received rather than completing activities in advance and then waiting for orders.

For better understanding of leagility concept, it is necessary to study both concepts; lean and agile. Implementation of lean manufacturing in industries fully started from Womack's famous book 'The machine that changed the world' [1]. The lean manufacturing concept focuses on maximum customer satisfaction by providing quality products at reasonable cost. The need of lean capability has become mandatory for all organizations in order to survive in the market [2]. VSM is found to be important tool by enhancing the value of the product and eliminating all those activities which do not add value to the product [3]. Lean manufacturing involves various tools and techniques which have ultimately objective of achieving maximum customer satisfaction by proving quality products to customers. Lean and agile manufacturing are most widely used strategies in the current scenario [4].

Agility means using market knowledge as well as virtual

corporation to exploit profitable opportunities in volatile market. Leagile system has characteristics of both lean and agile manufacturing systems. Reference [5]-[7], defined agile manufacturing as the capability of organization to exploit market opportunities in cost effective manner [20].

II. IDENTIFICATION OF LEAGILE MANUFACTURING CRITERIA'S

17 leagile manufacturing criteria are identified and listed in Table I.

TABLE I
LIST OF LEAGILE CRITERIA

S.No	Leagile Manufacturing Criteria	Authors
1	Six Sigma	[8]-[11]
2	Supplier Development	[12]-[15]
3	Information Technology	[16]-[19]
4	Kaizen	[20]-[23]
5	Remuneration and Increment Policies	[24]-[26]
6	Training and Motivational Programs	[27], [28]
7	Poke Yoke	[10], [15]
8	FMEA (Failure Mode and Effect Analysis)	[29]-[31]
9	ERP (Enterprise Resource Planning)	[32]-[35]
10	Group Technology	[36], [37]
11	Organizational Culture	[38]-[40]
12	Innovation and R & D	[41], [42]
13	TQM	[43]-[46]
14	Reconfiguration capabilities	[10], [15], [21]
15	Concurrent Engineering	[47]-[49]
16	Supply Chain Management (SCM)	[10], [11], [15]
17	CIM (Computer Integrated Manufacturing)	[39], [46], [49]

III. QUESTIONNAIRE BASED SURVEY

The questionnaire consist of 17 leagile criteriawhich have been found out through literature review. For evaluating the questionnaire, 5 point Likert scale was used. 1 stands for no influence, 2 stands for low influence, 3 stands for medium influence, 4 stands for high influence and 5 stands for very high influence.

A. Survey Administration

Self-contact, e-mail and postal methods were used for analysis of survey. In total, questionnaires were sent to 100 Indian companies.

B. Survey Responses and the Respondents' Profile

37 filled questionnaires were received out of 100 sent questionnaire. Seven questionnaires were incompletely filled and were removed. So, only 30 of them are considered for analysis. This gives a response rate of 30%, which is not very

Naveen Virmani is pursuing PhD from YMCA University of Science and Technology, Faridabad (e-mail: naveenvirmani11@gmail.com).

Dr. Rajeev Saha is Assistant Professor at Department of Mechanical Engineering, YMCAUST, Faridabad. (e-mail: rajeevsaha@gmail.com).

Dr. RajeshwarSahai is Director at Rattan College, Faridabad. (e-mail: rajeshwar.sahai@rediffmail.com).

low for analyses.

C. Results of Survey

The main purpose of this questionnaire-based survey was to find the pre-requirements (i.e. leagile criteria's) for the transition to Leagile manufacturing. Major finding of this survey is that only 30% companies are interested in transition to leagile manufacturing system.

IV. DEMATEL TECHNIQUE

DEMATEL (Decision Making Trail and Evaluation Laboratory), has been most widely used technique to solve complex decisions.

Step1. Obtain the experts' opinion and construct average matrix A.

A group of experts are selected and asked to make the direct level of influence between 1 and 5 based on pair-wise comparison.

$$a_{ij} = \sum_{i=1}^n x_{ij}^k \quad \text{where } k = 1, 2, 3, 4, \dots, n$$

Step2. Compute the normalized initial direct relation matrix D

$$D = A * S$$

$$S = 1 / \max 1 \leq n \sum_{j=1}^n a_{ij}$$

Each element in matrix falls between 0 and 1, where n is the number of respondents.

Step3. Determine Total Relation Matrix is defined as $T = D(I - D)^{-1}$, where I is the identity matrix.

Step4. Calculate the sums of rows and columns of matrix T. In the total-influence matrix T, the sum of rows and the sum of columns are represented by vectors r and c, respectively.

Step5: Determine C + Rand C-R and compute threshold value which is average of all values of Total Relationship matrix T.

V. CALCULATIONS AND RESULTS

TABLE II
ASSESSMENT DATA OF GENERAL MANAGER

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
1		3	2	1	3	4	2	3	4	4	1	2	3	2	4	3	3
2	2		3	4	3	5	3	2	4	3	1	2	3	1	3	2	3
3	4	3		4	4	2	3	4	3	1	4	2	4	1	4	3	3
4	4	3	4		4	3	3	3	4	1	4	3	2	4	1	4	3
5	4	3	3	4		4	1	4	1	4	4	3	1	1	4	4	3
6	1	2	4	3	1		2	3	2	3	2	3	4	2	1	3	2
7	3	2	4	1	2	3		3	2	3	4	2	3	3	2	2	1
8	3	2	2	2	3	4	2		1	2	3	2	4	2	3	4	2
9	3	2	3	4	1	5	2	1		2	3	2	2	3	2	4	2
10	3	4	2	3	4	3	2	1	3		3	4	2	4	2	3	1
11	5	3	2	4	3	4	2	3	3	2		2	3	4	3	2	3
12	4	3	4	3	2	3	1	4	3	4	4		3	4	3	4	2
13	2	3	2	4	3	4	3	2	4	3	4	3		4	2	1	2
14	1	4	2	1	2	1	1	2	3	4	2	4	3		1	2	2
15	2	3	3	2	4	5	1	2	1	2	3	2	1	2		3	1
16	3	2	4	3	2	3	3	2	4	1	3	1	3	1	2		1
17	4	3	2	1	2	3	2	3	2	1	3	2	4	1	3	2	2

TABLE III
INITIAL AVERAGE MATRIX A FOR LEAGILE CRITERIA

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
1	0	3.8	1.9	1.4	2.9	3.5	1.8	2.6	3.6	3.8	1.2	2.1	2.7	1.7	3.4	2.7	3.2	42.3
2	1.8	0	2.8	3.5	2.8	4.8	2.7	1.8	3.8	2.9	1.2	1.8	2.8	1.2	3.1	1.8	2.7	41.5
3	3.5	2.8	0	3.4	3.5	1.8	2.8	3.7	3.1	1.1	3.5	1.9	3.8	1.2	3.7	2.8	3.1	45.7
4	3.8	2.7	3.8	0	3.8	2.7	2.8	2.8	3.7	1.2	3.8	2.8	1.2	3.8	1.1	3.8	2.6	46.4
5	3.8	2.8	3.9	2.8	0	3.7	1.3	3.8	1.1	3.8	3.9	2.7	1.2	1.2	3.7	3.7	2.8	46.2
6	1.2	1.9	3.8	2.8	1.2	0	1.8	2.7	1.9	2.7	1.2	2.4	3.8	2.2	1.2	2.7	1.9	35.4
7	2.8	1.8	3.7	1.2	2.5	2.7	0	2.8	2.1	2.9	3.8	1.9	2.9	3.2	1.8	1.7	1.2	39
8	2.9	1.9	2.1	1.5	2.8	3.8	1.3	0	1.2	2.1	2.7	1.9	3.8	2.2	2.7	3.5	1.7	38.1
9	2.9	1.9	2.7	1.3	1.2	4.5	1.4	1.2	0	2.1	2.8	1.8	2.1	3.2	1.8	3.6	1.8	36.3
10	2.7	3.8	1.6	2.8	3.7	2.7	1.1	1.1	2.9	0	2.8	3.7	2.2	3.8	1.9	2.8	1.1	40.7
11	4.7	2.8	1.5	3.5	2.7	3.6	1.2	2.7	2.7	2.1	0	1.8	3.2	3.8	2.7	1.8	2.9	43.7
12	3.8	2.9	3.5	2.5	1.8	2.7	1.1	3.7	2.6	3.6	3.8	0	2.8	3.7	2.8	3.7	1.9	46.9
13	1.9	2.8	1.9	3.5	2.7	3.7	2.8	1.1	3.5	2.8	3.8	2.8	0	3.6	1.9	1.2	1.8	41.8
14	1.8	3.8	1.8	1.2	1.8	1.2	1.2	1.9	2.9	3.7	1.9	3.5	2.8	0	1.1	1.8	1.9	34.3
15	1.8	2.8	2.9	1.2	3.8	4.8	1.1	2.1	1.1	1.1	2.7	1.8	1.2	1.8	0	2.8	1.1	34.1
16	2.7	1.8	3.7	2.8	1.8	2.6	2.9	2.2	3.7	1.2	2.8	1.2	2.8	1.2	1.9	0	1.3	36.6
17	3.8	2.9	1.6	1.1	1.6	2.7	1.2	2.8	1.8	1.1	2.8	1.8	3.8	1.1	2.8	1.8	0	34.7
	45.9	43.2	43.2	36.5	40.6	51.5	28.5	39	41.7	38.2	44.7	35.9	43.1	38.9	37.6	42.2	33	

TABLE IV
NORMALIZED INITIAL DIRECT RELATION MATRIX D

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
1	0	0.074	0.037	0.027	0.056	0.068	0.035	0.05	0.07	0.074	0.023	0.041	0.052	0.033	0.066	0.052	0.062
2	0.03	0	0.054	0.068	0.054	0.093	0.052	0.035	0.074	0.056	0.023	0.035	0.054	0.023	0.06	0.035	0.052
3	0.07	0.054	0	0.066	0.068	0.035	0.054	0.072	0.06	0.021	0.068	0.037	0.074	0.023	0.072	0.054	0.06
4	0.07	0.052	0.074	0	0.074	0.052	0.054	0.054	0.072	0.023	0.074	0.054	0.023	0.074	0.021	0.074	0.05
5	0.07	0.054	0.076	0.054	0	0.072	0.025	0.074	0.021	0.074	0.076	0.052	0.023	0.023	0.072	0.072	0.054
6	0.02	0.037	0.074	0.054	0.023	0	0.035	0.052	0.037	0.052	0.023	0.047	0.074	0.043	0.023	0.052	0.037
7	0.05	0.035	0.072	0.023	0.049	0.052	0	0.054	0.041	0.056	0.074	0.037	0.056	0.062	0.035	0.033	0.023
8	0.06	0.037	0.041	0.029	0.054	0.074	0.025	0	0.023	0.041	0.052	0.037	0.074	0.043	0.052	0.068	0.033
9	0.06	0.037	0.052	0.025	0.023	0.087	0.027	0.023	0	0.041	0.054	0.035	0.041	0.062	0.035	0.07	0.035
10	0.05	0.074	0.031	0.054	0.072	0.052	0.021	0.021	0.056	0	0.054	0.072	0.043	0.074	0.037	0.054	0.021
11	0.09	0.054	0.029	0.068	0.052	0.07	0.023	0.052	0.052	0.041	0	0.035	0.062	0.074	0.052	0.035	0.056
12	0.07	0.056	0.068	0.049	0.035	0.052	0.021	0.072	0.05	0.07	0.074	0	0.054	0.072	0.054	0.072	0.037
13	0.04	0.054	0.037	0.068	0.052	0.072	0.054	0.021	0.068	0.054	0.074	0.054	0	0.07	0.037	0.023	0.035
14	0.03	0.074	0.035	0.023	0.035	0.023	0.023	0.037	0.056	0.072	0.037	0.068	0.054	0	0.021	0.035	0.037
15	0.03	0.054	0.056	0.023	0.074	0.093	0.021	0.041	0.021	0.021	0.052	0.035	0.023	0.035	0	0.054	0.021
16	0.05	0.035	0.072	0.054	0.035	0.05	0.056	0.043	0.072	0.023	0.054	0.023	0.054	0.023	0.037	0	0.025
17	0.07	0.056	0.031	0.021	0.031	0.052	0.023	0.054	0.035	0.021	0.054	0.035	0.074	0.021	0.054	0.035	0

TABLE V
TOTAL RELATIONSHIP MATRIX T

	TOTAL RELATIONSHIP NETWORK																	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
1	0.19 ^a	0.25	0.21	0.18 ^a	0.22	0.28	0.15 ^a	0.21	0.24	0.23	0.2 ^a	0.19 ^a	0.2a	0.19a	0.22	0.23	0.2 ^a	3.57
2	0.22	0.18 ^a	0.23	0.22	0.22	0.3	0.17 ^a	0.19	0.24	0.21	0.2a	0.18 ^a	0.21	0.18a	0.21	0.21	0.19 ^a	3.56
3	0.27	0.25	0.2 ^a	0.23	0.25	0.27	0.18 ^a	0.24	0.25	0.19 ^a	0.26	0.2a	0.24	0.2 ^a	0.24	0.24	0.21	3.91
4	0.28	0.25	0.27	0.17 ^a	0.25	0.28	0.19 ^a	0.23	0.26	0.2 ^a	0.27	0.22	0.2 ^a	0.24	0.2 ^a	0.26	0.21	3.97
5	0.28	0.25	0.27	0.22	0.19 ^a	0.3	0.16 ^a	0.25	0.21	0.24	0.27	0.21	0.2 ^a	0.2 ^a	0.24	0.26	0.21	3.96
6	0.18 ^a	0.19 ^a	0.22	0.19 ^a	0.17 ^a	0.18 ^a	0.14 ^a	0.19 ^a	0.19 ^a	0.19 ^a	0.18	0.17 ^a	0.2 ^a	0.18 ^a	0.16 ^a	0.2 ^a	0.16 ^a	3.07
7	0.23	0.2 ^a	0.23	0.17 ^a	0.2 ^a	0.25	0.11 ^a	0.2 ^a	0.2 ^a	0.2 ^a	0.24	0.18 ^a	0.2 ^a	0.21	0.18 ^a	0.2 ^a	0.16 ^a	3.37
8	0.22	0.2 ^a	0.2 ^a	0.17 ^a	0.2 ^a	0.26	0.14a	0.15 ^a	0.18 ^a	0.19 ^a	0.21	0.17 ^a	0.21	0.19a	0.19 ^a	0.22	0.16 ^a	3.27
9	0.21	0.19 ^a	0.2 ^a	0.16 ^a	0.17 ^a	0.26	0.13 ^a	0.16 ^a	0.15 ^a	0.18 ^a	0.21	0.16 ^a	0.18 ^a	0.2a	0.17 ^a	0.22	0.15 ^a	3.09
10	0.23	0.25	0.21	0.2 ^a	0.23	0.26	0.14 ^a	0.18 ^a	0.23	0.16 ^a	0.23	0.21	0.19 ^a	0.23	0.19 ^a	0.22	0.16 ^a	3.51
11	0.28	0.24	0.21	0.22	0.22	0.29	0.15 ^a	0.22	0.23	0.21	0.19 ^a	0.19 ^a	0.22	0.23	0.21	0.22	0.2 ^a	3.72
12	0.28	0.25	0.26	0.22	0.22	0.29	0.16 ^a	0.25	0.24	0.24	0.27	0.17 ^a	0.23	0.25	0.23	0.26	0.19 ^a	3.99
13	0.22	0.23	0.22	0.22	0.22	0.28	0.17 ^a	0.18 ^a	0.24	0.21	0.25	0.2 ^a	0.16 ^a	0.23	0.19 ^a	0.2 ^a	0.17 ^a	3.59
14	0.19 ^a	0.22	0.18 ^a	0.15 ^a	0.17a	0.2	0.12a	0.17 ^a	0.2 ^a	0.2a	0.19 ^a	0.19 ^a	0.18 ^a	0.13 ^a	0.15a	0.18 ^a	0.15 ^a	2.97
15	0.19 ^a	0.2 ^a	0.2 ^a	0.15 ^a	0.21	0.26	0.12 ^a	0.17 ^a	0.16 ^a	0.15 ^a	0.2 ^a	0.16 ^a	0.15 ^a	0.16a	0.13a	0.2 ^a	0.14 ^a	2.95
16	0.22	0.19 ^a	0.23	0.19 ^a	0.18	0.24	0.16 ^a	0.18a	0.22	0.16a	0.21	0.15 ^a	0.19 ^a	0.17a	0.17 ^a	0.16 ^a	0.15 ^a	3.17
17	0.22	0.2 ^a	0.18 ^a	0.15 ^a	0.17	0.23	0.12 ^a	0.19a	0.18 ^a	0.15a	0.2 ^a	0.16 ^a	0.2 ^a	0.15 ^a	0.18 ^a	0.18 ^a	0.12 ^a	2.98
	3.91	3.72	3.72	3.22	3.49	4.42	2.51	3.37	3.62	3.32	3.77	3.11	3.35	3.33	3.27	3.65	2.91	

Note: ^a values below thresholdTABLE VI
DEGREE OF TOTAL INFLUENCE OF LEAGILE CRITERIA

Criteria	Sum(C)	Sum R	Prominence(C+R)	Net Effect(C-R)	Group
C1	3.571	3.908	7.479	-0.337	Effect
C2	3.562	3.715	7.277	-0.153	Effect
C3	3.91	3.718	7.628	0.192	Cause
C4	3.972	3.216	7.188	0.756	Cause
C5	3.956	3.485	7.441	0.471	Cause
C6	3.073	4.415	7.488	-1.342	Effect
C7	3.371	2.511	5.882	0.86	Cause
C8	3.27	3.367	6.637	-0.097	Effect
C9	3.094	3.619	6.713	-0.525	Effect
C10	3.505	3.318	6.823	0.187	Cause
C11	3.716	3.768	7.484	-0.052	Effect
C12	3.994	3.106	7.1	0.888	Cause
C13	3.592	3.345	6.937	0.247	Cause
C14	2.965	3.329	6.294	-0.364	Effect
C15	2.945	3.267	6.212	-0.322	Effect
C16	3.17	3.648	6.818	-0.48	Effect
C17	2.977	2.908	5.885	0.069	Cause




Fig. 1 Overall DEMATEL Prominence Casual Graph

The threshold value is calculated by taking average of all values of total relationship matrix and it is equal to 0.20.

VI. CONCLUSION AND IMPLICATIONS

For successfully implementing leagile system, it will be convenient to categorize the leagile criteria. DEMATEL approach categorizes the criteria based on C-R values. The leagile criteria are classified in to cause and effect categories. If C-R value is positive, leagile criteria will fall under cause category and if C-R value is negative, leagile criteria will fall under effect category. The Criteria 1 (Six sigma), 2 (Supplier Development), 6 (Training and development programs), 8 (FMEA), 9 (ERP), 11 (Organizational Culture), 14 (Reconfiguration capabilities), 15 (Concurrent Engineering), 16 (Supply Chain Management) represents effect group. The criteria 3 (Information Technology), 4 (Kaizen), 5 (Remuneration and Increment Policy), 7 (Poke Yoke), 10 (Group Technology), 12 (Innovation and R & D), 13 (TQM), 17 (CIM) are placed under cause group. The paper provides a comprehensive set of criteria and their interrelationships for implementing leagile manufacturing successfully. With the help of casual diagram, the complex problem can be easily solved and better decisions can be made with relative ease. The manager can better understand the implications involved and in better position to make sound and effective decisions.

REFERENCES

- [1] Liker, J.K. and Hoseus, M., "Human resource development in Toyota culture", *International Journal of Human Resources Development and Management*, Vol. 10 No. 1, 2010, pp. 34-50A., Agarwal, R. Shankar, M.K. Tiwari, 'Modeling the metrics of lean, agile and leagile supply chain: An ANP-based approach', *European Journal of Operational Research*, Vol.173, 2006, pp. 211-225.
- [2] A.C. Yao, J.G.H. Carlson, Agility and mixed-model furniture production, *International Journal of Production Economics*, Vol.81-82, 2003, pp. 95-102.
- [3] Lander, E. and Liker, J.K., "The Toyota production system and art: making highly customized and creative products the Toyota way", *International Journal of Production Research*, Vol. 45 No. 16, 2007, pp. 3681-3698.
- [4] Alagaraja, M., "The strategic value and transaction effectiveness of HRD", *European Journal of Training and Development*, Vol. 37 No. 5, 2013, pp. 436-453.
- [5] L. Purvis, J. Gosling, M.M. Naim, 'The development of a lean, agile and leagile supply network taxonomy based on differing types of Flexibility', *International Journal of Production Economics*, Vol.151, 2014, pp.100-111Jusko, J., "Strategic deployment: how to think like Toyota", *Industry Week*, 2007, pp. 34-37.
- [6] Koenigsaecker, G., "Leading the lean enterprise transformation", CRC Press Taylor & Francis Group, Boca Raton, FL,2013.
- [7] B.J. Naylor, M.M. Naim, D. Berry, Leagility, 'Integrating the lean and agile manufacturing paradigms in the total supply chain', *International Journal of Production Economics*, Vol.62, 1999, pp. 107-118.
- [8] Bonavia, T. and Marin-Garcia, J.A. (2011), "Integrating human resource management into lean production and their impact on organizational performance", *International Journal of Manpower*, Vol. 32 No. 8, pp. 923-938.
- [9] Brown S. and Bessant, J., 'The Manufacturing Strategy-Capabilities Links in Mass Customization and Agile Manufacturing: An Exploratory Study', *International Journal of Operations and Production Management*, Vol.23, No.7, 2000, pp. 707-730.
- [10] Brown, R., *The People Side of Lean Thinking*, BP Books, Mukilteo, WA, 2012.
- [11] Christopher, M and Towill, D. 'Supply chain migration from lean and functional to agile and customized', *Supply chain Management*, Vol.5, No.4, 2000, pp.206-13.
- [12] H. Sternberg, G. Stefansson, E. Westernberg, R.B. afgennäs, E. Allenström, M.L. Nauska, 'Applying a lean approach to identify waste in motor carrier operations', *International Journal of Productivity and Performance Management*, Vol.62, 2013, pp. 47-65.
- [13] Hodge, G.L., Ross, K.G., Joines, J.A. and Thoney, K.K. 'Adapting lean manufacturing principles to the textile industry', *Production Planning and Control: The Management of Operations*, Vol. 22, No. 3, 2011, pp.237-247.
- [14] Naylor, J.B, Naim, M.M and Berry, D, 'Leagility: Integrating the lean and agile manufacturing paradigms in total supply chain', *International Journal of Production Economics*, Vol.62,1999, pp.107-18.
- [15] I. Cil, Y. Turkan, 'An ANP-based assessment model for lean enterprise transformation', *The International Journal of Advanced Manufacturing Technology*, Vol. 64, 2013, pp. 1113-1130.
- [16] Pandey, V.C. and Garg, S. 'Analysis of interaction among the enablers of agility in supply chain'. *J. Advances in Management Research*, Vol. 6, No. 1, 2009, pp.99-114.
- [17] Pullan, T.T., Bhasi, M. and Madhu, G., 'Decision support tool for lean product and process development', *Production Planning and Control*:

- The Management of Operations, Vol. 24, No. 6, 2011, pp.449–464.
- [18] Quinn, F., “The lion of lean: an interview with James Womack”, Supply Chain Management Review, Vol. 9 No. 5, 2005, pp. 28-33.
- [19] Ramesh, A., Banwet, D.K. and Shankar, R., ‘Modeling the barriers of supply chain collaboration’, Journal of Modeling in Management, Vol. 5, No. 2, 2010, pp.176–193.
- [20] R. Dubey, and A. Gunasekaran, ‘Agile manufacturing: framework and its empirical validation’. The International Journal of Advanced Manufacturing Technology, Vol.76, No.9, 2014, pp 2147-2157.
- [21] R. Mason-Jones, B. Naylor, D.R. Towill, ‘Lean, agile or leagile? Matching your supply chain to the marketplace’, International Journal of Production Research. Vol. 38, 2000, pp. 4061-4070.
- [22] R. Shah, A. Chandrasekaran, K. Linderman, ‘In pursuit of implementation patterns: the context of Lean and Six Sigma’, International Journal of Production Research. Vol.46, 2008, pp. 6679-6699.
- [23] Krishnamurthy R, Yauch, C., ‘Leagile Manufacturing: a proposed corporate infrastructure’ International journal of operations and Management’, Vol. 27, No.6, 2007, pp.588-604.
- [24] Kuhlman, P., Hempen, S., Sihm, W. and Deuse, J. ‘Systematic improvement of value streams – fundamentals of value stream oriented process management’, Int. J. Productivity and Quality Management, Vol. 12, No. 1, 2013, pp.1–17.
- [25] Kumar, S., Singh, B., Qadri, M.A., Kumar, Y.V.S. and Haleem, A. (2013) ‘A framework for comparative evaluation of lean performance of firms using fuzzy TOPSIS’, Int. J. Productivity and Quality Management, Vol. 11, No. 4, pp.371–392.
- [26] Lee, Y.C., Yen, T.M. and Tsai, C.H. (2008), “Using importance-performance analysis and decision making trial and evaluation laboratory to enhance order-winner criteria – a study of computer industry”, Information Technology Journal, Vol. 7 No. 3, pp. 396-408.
- [27] Liker, J.K. and Convis, G.L., The Toyota Way to Lean Leadership, McGraw Hill, New York, NY, 2012.
- [28] Liker, J.K. and Franz, J.K., “The Toyota way: helping others help themselves”, Manufacturing Engineering, Vol. 149 No. 5, 2012, pp. 87-95.
- [29] Luthra, S., Kumar, V., Kumar, S. and Haleem, A. ‘Barriers to implement green supply chain management in automobile industry using interpretive structural modeling technique: an Indian perspective’, Journal of Industrial Engineering and Management, Vol. 4, No. 2, 2011, pp.231–257.
- [30] Miller, L.M., ‘Lean Culture – the Leader’s Guide’, LM Miller Publishing, Annapolis, MD, 2011.
- [31] Mohanraj, R., Sakthivel, M. and Vinodh, S. ‘QFD integrated value stream mapping: an enabler of lean manufacturing’, Int. J. Productivity and Quality Management, Vol. 7, No.4, 2011, pp.501–522.
- [32] Naylor, J.B, Naim, M.M and Berry, D, ‘Leagility: Integrating the lean and agile manufacturing paradigms in total supply chain’, International Journal of Production Economics, Vol.62, Volume 1-2, 1999, pp.107-18.
- [33] Sisson, J. and Elsehnnawy, A., ‘Achieving success with lean: An analysis of lean factors in lean transformation at Toyota and beyond’, International Journal of Lean six sigma, Vol.6, No.3, 2015, pp. 263-280.
- [34] S. Mostafa, J. Dumrak, H. Soltan, ‘A framework for lean manufacturing implementation’, Production & Manufacturing Research. Vol.1, No.1, 2013, pp. 44-64.
- [35] Swafford, P.M., Ghosh, S. and Murthy, N. ‘Achieving supply chain agility through IT integration and flexibility’, Int. J. Production Economics, Vol. 116, No. 2, 2008, pp.288–297.
- [36] Scherrer-Rathje, M., Boyle, T. and Deflorin, P., “Lean, take two! Reflections from the second attempt at lean implementation”, Business Horizons, Vol. 52 No. 1, 2009, pp. 79-88.
- [37] Van, Hoek, R.I., ‘The thesis of leagility revisited’, International Journal of Agile Manufacturing Systems, Vol.2, No. 3, 2000, pp. 196-201.
- [38] Elmoselhy, S.A.M., ‘Hybrid lean-agile manufacturing system technical facet, in automotive sector’, Journal of Manufacturing Systems, Vol. 32, 2013, pp.598-619.
- [39] Faisal, M.N. ‘Analyzing the barriers to corporate social responsibility in supply chains: an interpretive structural modeling approach’, Int. J. Logistics: Research and Applications, Vol. 13, No. 3, 2010, pp.179–195.
- [40] Fullerton, R.R. and Wempe, W.F. (2009), “Lean manufacturing, non-financial performance measures and financial performance”, International Journal of Operations & Production Management, Vol. 29 No. 3, pp. 214-240.
- [41] Hodge, G.L., Ross, K.G., Joines, J.A. and Thoney, K.K. (2011) ‘Adapting lean manufacturing principles to the textile industry’, Production Planning and Control: The Management of Operations, Vol. 22, No. 3, pp.237–247.
- [42] Yin, R.K., “Case Study Research: Design and Methods”, 4th ed., Sage Publications, Thousand Oaks, CA, 2009.
- [43] Roy, B., Misra, S., Gupta, P., ‘An integrated DEMATEL and AHP approach for personnel estimation’, International journal of computer science and information technology and security, Vol.2, No.6, 2012, pp. 1206-1212.
- [44] Virmani, N., Yadav, R., ‘Identification of barriers in implementation of TQM in Indian Manufacturing Industries’, International Journal of Science Technology and Management, Vol.5, No.8, 2016, pp. 468-472.
- [45] Saleeshya, P.G., Austin, D. and Vamsi, N. ‘A model to assess the lean capabilities of automotive industries’, Int. J. Productivity and Quality Management, Vol. 11, No. 2, 2013, pp.195–211.
- [46] Sanchez, A.M. and Perez, M.P. ‘Lean indicators and manufacturing strategies’, Int. J. of Operation and Production Management, Vol. 21, No. 11, 2001, pp.1433–1451.
- [47] Scheer, A.W., “CIM Computer Integrated Manufacturing”: Computer Steered Industry, Springer Publishing Company Inc., New York, 2000.
- [48] Sharma, S.K., Panda, B.N., Mahapatra, S.S. and Sahu, S. ‘Analysis of barriers for reverse logistics: an Indian perspective’, Int. J. Modeling and Optimization, Vol. 1, No. 2, 2011, pp.101–106.
- [49] Singh, H. and Khamba, J.S. ‘An interpretive structural modelling (ISM) approach for advanced manufacturing technologies (AMTs) utilization barriers’, Int. J. Mechatronics and Manufacturing Systems, Vol. 4, No. 1, 2011, pp.35–48.

Mr. Naveen Virmani is a Research scholar at Department of Mechanical Engineering in YMCA University of Science and Technology, Faridabad. He has completed his M.Tech from YMCA University of Science and Technology, Faridabad. His area of Interest includes Industrial engineering, Operations Research, Production Engineering.

Dr. Rajeev Saha is working as Assistant Professor at Department of Mechanical Engineering in YMCA University of Science and Technology, Faridabad. He has published many papers in International and National Journals of high repute. His areas of interest include Industrial Engineering and Operations Management.

Dr. Rajeshwar Sahai is working as a Director in Rattan college of engineering, Faridabad. He has published many papers in international and national journals. His areas of interest are Production Engineering, Operations Management