

Evaluation of Rheological Properties of Apple Mass Based Desserts

Sigita Boca, Ruta Galoburda, Inta Krasnova, Dalija Seglina, Aivars Aboltins, and Imants Skrupskis

Abstract—The aim of the study was to evaluate the effect of texturizers on the rheological properties of the apple mass and desserts made from various raw materials. The apple varieties - ‘Antonovka’, ‘Baltais Dzidrais’, and ‘Zarja Alatau’ harvested in Latvia, were used for the experiment. The apples were processed in a blender unpeeled for obtaining a homogenous mass. The apple mass was analyzed fresh and after storage at -18°C . Both fresh and thawed apple mass samples with added gelatin, xantan gum, and sodium carboxymethylcellulose were whisked obtaining dessert. Pectin, pH and soluble dry matter of the product were determined. Apparent viscosity was measured using a rotational viscometer DV-III Ultra. Pectin content in frozen apple mass decreased significantly ($p < 0.05$) compared to the fresh sample. The viscosity of apple desserts immediately after their preparation depends on the physico-chemical properties of apples and the texturizers used in the production.

Keywords—Apple variety, apparent viscosity, hydrocolloids, pectin, texturizers.

I. INTRODUCTION

FRUITS are considered as a commercially important and nutritionally essential food. Apples are fruits that contain the high pectin quantity, which is a dietary fiber, the entity “non-starch polysaccharide”.

Freezing is used to preserve and maintain the quality of apple mass. One critical quality factor influenced by freezing is food texture. In some cases, the texture of the thawed material is close to that of the fresh and unfrozen food. In other cases, the texture may be changed by the freezing process and yet result in a thawed product that is still acceptable to consumers [1]. Texture can be defined as those properties of food determined by the rheological and structural nature of the food.

Food colloids open a lot of different possibilities in dessert production, which are used to perform certain functions [2]. The gelatin, xantan gum, and sodium carboxymethylcellulose are additives which are used as thickener, stabilizer, and dispersant in apple dessert. They impart high solution

viscosity at low concentration and hydrate in most water-based systems because they are completely soluble. Xanthan gum and sodium carboxymethylcellulose are polysaccharides widely used for their unique ability to control the rheological properties of a wide range of food products. They dissolve readily in hot or cold product, provide uniform brine distribution, and are stable in acidic and alkaline solutions. It is important to observe that gelatin applications are not limited only to gelling properties. In fact, gelatins are also used as colloid stabilizer, foaming and surface absorbed agent and emulsifier [3].

For the dessert to obtain characteristic texture, fruit mass has to be whisked. Two factors have complex influence on the product to be processed: mechanical – whisking is carried out by mechanical mixing, and biological – gels derived as a result of swelling form the disperse medium. Both factors have equal technological importance, because by ignoring one of them the necessary final product is not obtained [4].

The aim of the study was to evaluate the effect of texturizers on the rheological properties of the apple mass and desserts made from various raw materials.

II. MATERIALS AND METHODS

A. Raw Materials

The apple varieties - ‘Antonovka’, ‘Baltais Dzidrais’, and ‘Zarja Alatau’ harvested in Latvia State Institute of Fruit Growing, were used for the experiment. The variety ‘Baltais Dzidrais’ is one of the best early summer varieties, which ripens in the beginning or mid-August. The fruit flesh is white, juicy, and soft, of pleasant sweet-and-sour flavor. Storage period of fresh apples is only one month. The varieties ‘Antonovka’ and ‘Zarja Alatau’ are the late autumn-winter apple varieties, whose popularity can be explained by their resistance to cold winters and excellent storage feasibility. Apples of the variety ‘Antonovka’ are big, green and upon ripening become yellow. Apples of the variety ‘Zarja Alatau’ are of variable size, beautiful yellowish color, firm flesh. ‘Antonovka’ can be stored at least for 3 months but the storage time of ‘Zarja Alatau’ is 6 months.

Apples were stored at temperature $+3.0 \pm 0.5^{\circ}\text{C}$ and air humidity 80%. In order to measure indices of apples, they were processed in a blender unpeeled for obtaining a homogenous mass and placed into 200ml plastic vessels and quickly cooled to $+4.0 \pm 0.5^{\circ}\text{C}$. The prepared mass was used for dessert preparation immediately or thawed after frozen storage at -18°C .

Sigita Boca is with the Latvia University of Agriculture, Faculty of Food Technology, Jelgava, LV-3001, Latvia (phone: +37126564213; fax: +37163005729; e-mail: sigita.boca@apollo.lv).

Ruta Galoburda and Aivars Aboltins are with the Latvia University of Agriculture, Faculty of Food Technology, Jelgava, LV-3001, Latvia (phone: +37163005644; fax: +37163005729; e-mail: ruta.galoburda@llu.lv aivars.aboltins@inbox.lv).

Inta Krasnova and Dalija Seglina are with the Latvian State Institute of Fruit Growing, Graudu Street 1, Dobeles, LV 3701, Latvia, (phone: +371 63722294, fax: +371 63781718; e-mail: dalija.seglina@lvai.lv).

Imants Skrupskis is with the Latvia University of Agriculture, Faculty of Food Technology, Jelgava, LV-3001, Latvia (phone: +37163005647; fax: +37163005729; e-mail: imants.skrupskis@inbox.lv).

B. Physico-Chemical Parameters

Photometric measurement was used to determine the composition of pectin. Pectin was isolated from the apple mass by leaching with ethanol, and from the residues – by extracting with diluted sodium hydroxide solution. By adding carbasol and sulfuric acid to the extract, through different intermediate stages carboxy condensation product was formed, which was photometrically measured at 525nm [5].

For soluble dry matter measurement a digital refractometer ATAGO N20 (Japan) was used according to ISO 2173:2003.

pH was determined using a pH meter 3510 (Jenway, UK) according to the standard LVS EN 1132 - pH Determination of Fruit and Vegetable Juice.

C. Apple Dessert Preparation

Before apple dessert preparation, frozen apple mass was thawed for an hour at the room temperature. Both fresh and thawed apple mass samples were whisked at 1140rpm for 5min.

The gelatin (Latplanta, Latvia), xantan gum KELTROL (CP Kelco A. Huber Company, USA), and sodium carboxymethylcellulose CEKOL (CP Kelco A. Huber Company, USA) additives were used as thickener, stabilizer, and dispersant in apple dessert. They impart high solution viscosity at low concentration and hydrate in most water-based systems because they are completely soluble in both hot and cold mass. Before sample whisking the xantan gum (0.2% from sample mass) and sodium carboxymethylcellulose (0.2%) were added in powder form during whisking, while gelatin was swollen and dissolved in water – before sample was whisked. The apple mass sample with gelatin additive contains 3% of gelatin and 16% added water.

The samples of 100 grams of the product made from fresh apple mass or mass after frozen storage with three different additives were weighed into the 150ml glass beakers.

D. Apparent Viscosity Measurement

Apparent viscosity was measured using programmable rotational viscometer DV-III Ultra (Brookfield Engineering Laboratories, Inc., USA) at temperature of $20.0 \pm 0.3^\circ\text{C}$. A T-bar spindle at 5rpm was used for viscosity measurement. In order to provide continuous contact of a spindle with the product, a Helipath Stand was used, which slowly raises and lowers the viscometer (at a rate of 7/8-inch per minute) during the measurement. Test parameters were set in software Rheocalc V2.6 as follows:

- SSN – set viscometer speed – 5rpm;
- WTI – wait for time interval – 20s;
- DSP – single data point;
- LSC – loop count – 10.

Triplicate measurements of the apparent viscosity of apple desserts were done immediately after preparation and each hour during five hours. The means and standard deviations are presented.

E. Statistical Analysis

An analysis of variance (ANOVA) was conducted using

Windows software SPSS (version 15.00). Significant differences between treatments were analyzed with the Tukey test at a significance level of $p < 0.05$.

III. RESULTS AND DISCUSSION

The apparent viscosity of apple mass based desserts was evaluated depending on the apple variety, type of raw material treatment, and additives used for the dessert preparation. The changes in apparent viscosity were observed within 5 hours after dessert production.

A. Physico-Chemical Parameters of Apple Mass

Research data indicate (Table I) that content of soluble solids may either increase ('Antonovka', 'Zarja Alatau') or decrease ('Baltais Dzidrais') after mass freezing depending on variety. There are more soluble solids in fresh apple mass of the variety 'Baltais Dzidrais' than in frozen ones. Whereas there are less soluble solids in fresh apple mass of the varieties 'Antonovka', 'Zarja Alatau' than in frozen apple mass. This can be explained by the fact that 'Baltais Dzidrais' is a summer variety, harvest and storage time of its apples is short.

TABLE I
DESCRIPTION OF THE APPLE MASS USED FOR DESSERT PREPARATION

Apple sample description		Soluble solids, Brix ^a	Pectin content, g 100 g ⁻¹	pH
'Baltais Dzidrais'	fresh	9.59±0.16	0.49±0.01	3.13±0.01
	frozen	7.15±0.14	0.31±0.01	3.24±0.05
'Antonovka'	fresh	11.90±0.27	0.69±0.02	3.07±0.01
	frozen	13.10±0.50	0.61±0.02	3.18±0.01
'Zarja Alatau'	fresh	13.77±0.08	0.82±0.02	3.25±0.02
	frozen	16.42±0.41	0.73±0.01	3.27±0.04

The autumn-winter varieties 'Antonovka' and 'Zarja Alatau' are harvested unripe (because of the climatic and storage considerations) and ripen in the warehouse reaching good edible or consumption maturity.

The results of the research prove that pectin content has a close correlation with soluble dry matter ($r = 0.90$) and the equation of the regression line shows, that by increasing soluble dry matter content for 1 Brix^o, pectin content increases by 0,054 g in 100 grams of the product (Fig. 1).




Fig. 1 Correlation of the pectin content with soluble dry matter

Results of the research indicate that the pectin content

decreases significantly ($p < 0.05$) as a result of apple mass freezing. The highest content of pectin was found in fresh apples of the variety 'Zarja Alatau'. It is established that pectin content is closely related to the ripeness stage of the apple. There are data available in the scientific literature, that total content of pectin substances in apples is 0.3–1.8%, pectin substances are encountered in the form of protopectin, pectin, and pectin acid. In green, unripe fruits, pectin is in the form of protopectin, which is of higher density and firmness than pectin. Both under the influence of ripening and heat treatment, protopectin transforms into pectin, fruit jelly forms [6]. Moreover, pectin acid forms in overripe fruits, therefore it should be provided, that fruit neither before harvesting nor during storage are overripe; products made from fruit containing less than 0.35% pectin substances, are not jellying.

The study of Boca et al. [7] prove that if it is assumed that pectin ability to gel in apples decreases at 0.35%, then apples of the variety 'Baltais Dzidrais' possess jellying power only one month after storage, and during freezing this ability decreases already just after freezing. Jellying power of the apple mass of the variety 'Antonovka' is maintained for 2 months after storage and freezing. The apples of the variety 'Zarja Alatau' have the most stable pectin quantity which jellying power is maintained for 3 months after storage in fresh and frozen condition.

The results of pH activity evaluation in fresh and frozen apple mass indicated no significant change ($p > 0.05$).

B. Effect of Apple Variety and Type of Raw Materials

Fig. 2 shows that apparent viscosity of apple mass differed depending on the apple variety. Apparent viscosity was higher when the sample contained more soluble solids and pectic substances (see Table I). The medium close correlation ($r = 0.75$) was observed between pectin content and viscosity of apple mass.

Keenan et al. [8] reported that differences in textural properties of the purees may be attributed to individual characteristics of the apple cultivars i.e. dietary fiber content, level of structural tissue, moisture content and soluble solids. Dietary fiber content, as well as the proportion of soluble and insoluble fiber, could have an effect on the viscosity of a puree because of its ability to retain water within the matrix [9].



Fig. 2 Apple mass viscosity depending on the variety and type of raw material (fresh or frozen)

Since fruit mass is made up of serum (which is usually more Newtonian) and particles of various sizes and shapes

dispersed within it, then the pulp with associated pectin may be the component contributing to non Newtonian behavior [10]. Moreover it has been reported that fruit mass behave as non-Newtonian fluid as a result of complex interactions among soluble sugars, pectic substances and suspended solids [11].

Freezing of product had a significant effect on the apple mass texture (Fig. 2). Apparent viscosity of apple mass decreased significantly ($p < 0.001$) after freezing, probably due to water migration from cell fragments into aqueous solution (serum), as a result of change in osmotic pressure during freezing stage.

C. Effect of Additives

In the process of apple dessert production the decrease in apparent viscosity was observed compared to the initial raw material (Fig. 3). This behavior could be explained by the structural breakdown of the molecules due to the hydrodynamic forces generated and the increased alignment of the constituent molecules [12].




Fig. 3 Apparent viscosity of apple mass and desserts made with various additives: C – sodium carboxymethylcellulose, X – xantan gum, and G – gelatin

The viscosity of apple desserts immediately after their preparation depends on the apple variety and the texturizer used in the production. The lowest viscosity was observed for the desserts made from the variety 'Baltais Dzidrais' – summer apples with the lowest pectin and soluble solids content among studied samples. The desserts made from previously frozen apple mass with gelatin had lower viscosity than the samples made from fresh apples. Whereas the desserts made with sodium carboxymethylcellulose, and xantan gum had similar viscosity both when made from fresh or frozen raw materials. The desserts made with gelatin had lower viscosity immediately after sample production due to specific properties of this texturizer – it is used after dissolving in water and it has longer setting time.

Hydrophobic interactions are not responsible of chain aggregations in the cool dilute solution. Olivares et al. [13] reported that the gelation process, where for a concentration above a critical value (around $10^{-2} \text{ g cm}^{-3}$) a transition from sol to gel was observed at a given maturation time, when the maturation temperature is set below a gel temperature, above which gel is not achieved.

D. Effect of Thickening Time

The apparent viscosity of apple dessert immediately after addition of texturizer and whisking was significantly ($p < 0.05$) lower than the one of apple mass used for dessert production.

On interaction between polysaccharide xanthan gum and other polymers, the hydrogen bonding and electrostatic interactions might occur [14]. During the first hours of apple dessert storage the viscosity of the samples increased (Fig. 4).

After one hour of thickening the viscosity of the apple mass (variety 'Antonovka') with gelatin increased for 8.1% and reached the viscosity of fresh apple mass (118.86 ± 1.96 Pa·s). After three hours of storage the viscosity of the apple mass with added texturizer KELTROL reached the viscosity of fresh apple mass, but already after 5 hours it increased for 8.5% in comparison with fresh apple mass. In its turn, addition of the texturizer CEKOL influenced the viscosity of the apple mass the least. Its viscosity reached the viscosity of fresh apple mass only after the fifth hour of storage.

IV. CONCLUSION

Freezing of the product has a significant ($p < 0.05$) effect on the apple mass soluble dry matter, pectin content, and viscosity. The viscosity of apple desserts immediately after their preparation depends on the physico-chemical properties of apples and the texturizer used in the product. The desserts with added carboxymethylcellulose, xanthan gum, and gelatin had lower viscosity immediately after sample production than in apple mass before processing. During the first five hours of apple dessert storage the viscosity of the samples increased. The viscosity of fresh apple mass (variety 'Antonovka') was reached: with added gelatin during the first hour; with added KELTROL - after three hours; with added CEKOL - after five hours.




Fig. 4 Apparent viscosity of apple desserts made from fresh or frozen apple mass depending on texturizer used: C – sodium carboxymethylcellulose; X – xanthan gum; G – gelatin

ACKNOWLEDGMENT

This research was endorsed by the ESF "Support for doctoral studies in LLU", contract Nr.2009/0180/1DP/1.1.2.1.2/09/IPIA/VIAA/017) and the EU „Scientific capacity building in fruit-growing, forestry and information technology sectors, providing research on environmentally friendly growing strategies, product development and introduction aided by computer technologies” No.2009/0228/1DP/1.1.1.2.0/09/APIA/VIAA/035.

REFERENCES

- [1] W. L. Kerr, "Texture in Frozen Foods" in *Handbook of Frozen Foods*, K. D. Murrell, Y. H. Hui, W.-K. Nip, M. H. Lim, I. G. Legarreta, P. Cornillon, Eds. New York: Marcel Dekker, 2004, ch. 8.

- [2] G. V. Barbosa-Canovas, G. Tabilo-Munizaga, "Rheological characterisation of food gels," in *Proc. of the XIIIth International Congress on Rheology*, Cambridge, UK, 2000, pp. 275-279.
- [3] C.-Y. Lii, S.C. Liaw, V.M.-F. Lai, P. Tomasik, "Xanthan gum-gelatin complexes," *Eur. Polym. J.*, vol. 38, pp.1377-1381, 2002.
- [4] S. Boca, I. Murniece, D. Kļava, U. Gross, I. Skrupskis, "Structural Changes of Apple Dessert during Storage" unpublished.
- [5] R. Matissek, G. Steiner, M. Fischer, *Lebensmittelanalytik*, Berlin, Heidelberg: Springer-Verlag, 2009, ch. 4.2.3.
- [6] L. Billy, E. Mehinagic, G. Royer, C. Renard, G. Arvisenet, C. Prost, F. Jourjon, "Relationship between texture and pectin composition of two apple cultivars during storage," *Postharvest Biol. Tec.*, vol. 47, pp. 315-324, 2008.
- [7] S. Boca, I. Krasnova, D. Seglina, A. Aboltins, I. Skrupskis, "Changes of pectin quantity in fresh and frozen apple products", *J. Chem. Chem. Eng.*, vol. 7, no. 1, pp. 64-69, January, 2013.
- [8] D. F. Keenan, J. Valverde, R. Gormley, F. Butler, N. P. Brunton, "Selecting apple cultivars for use in ready-to-eat desserts based on multivariate analyses of physico-chemical properties," *LWT - Food Sci. Technol.*, vol.48, pp. 308-315, 2012.
- [9] F. Figuerola, M. L. Hurtado, A. M. Estévez, I. Chiffelle, F. Asenjo, "Fibre concentrates from apple pomace and citrus peel as potential fibre sources for food enrichment," *Food Chem.*, vol. 91, no. 3, pp. 395-401, 2005.
- [10] C. I. Nindo, J. Tang, J. R. Powers, P. S. Takhar, "Rheological properties of blueberry puree for processing applications," *Food Sci. Technol.-Leb.*, vol. 40, pp. 292-299, 2007.
- [11] J. Ahmed, U. S. Shivare, P. Singh, "Colour kinetics and rheology of coriander leaf puree and storage characteristics of the paste," *Food Chem.*, vol. 84, pp. 605-611, 2004.
- [12] D. R. Izidoro, A. P. Scheer, M.-R. Sierakowski, W. I. Haminiuk, "Influence of green banana pulp on the rheological behaviour and chemical characteristics of emulsions (mayonnaise)," *Food Sci. Technol.-Leb.*, vol. 41, pp. 1018-1028, 2008.
- [13] M. L. Olivares, M. B. Peirrotti, J. A. Deiber, "Analysis of gelatin chain aggregation in dilute aqueous solutions through viscosity data," *Food Hydrocolloid.*, vol. 20, pp. 1039-1049, 2006.
- [14] H. Li, W. Houa, X. Li, "Interaction between xanthan gum and cationic cellulose JR400 in aqueous solution," *Carbohydr. Polym.*, vol. 89, pp.24-30, 2012.

patents; participated in 19 different projects. Member of Latvian Academy of Agricultural and Forestry Sciences.

Imants Skrupskis Dr. habil. sc. ing. Professor at the Faculty of Food Technology, Latvia University of Agriculture. Scientific research interests: Chilled Fruit and Vegetables, Frozen Fruit and Vegetables, Storage of Fruit and Vegetables, Food Quality, Nutrition. More than 180 scientific and methodological publications, including 6 patents of Latvia.

Member of Scientific Council, Latvia University of Agriculture; member of Professional Association of Practical Educational Subjects, Latvia; member of Latvian Council of Science; expert of Committee for Food Science; member of Latvian Union of Scientists; member of the board of Latvian Union of Scientists; member of Professors' Association; member of Promotion Board; member of Professors' Board; member of International Refrigeration Academy; member of Latvian Academy of Agricultural and Forestry Sciences.

Aivars Aboltins Dr. sc.ing. leading researcher at Institute of Agricultural Machinery, Latvia University of Agriculture (LLU). Professor at the Department of Mathematics, LLU (2001- 2007). Scientific Research Interests - Mathematical modeling of heat mass transfer processes (drying, cooling, storage, freezing, thawing of agriculture production, wood acetylation processes), renewable energy (solar collectors), modeling of wood burning. More than 160 scientific and methodological publications (include 4 Latvian patents and 1 Russian Federation patent). Member of Latvian Science Union Board, academician at International Freezing Academy, expert of Latvia Council of Science, member of Riga Technical university Professor Council, member of New York Academy of Sciences and GAMM, member of Latvian mathematics society Board.

Sigita Boca, Mg.oec., post-graduate student for the scientific degree in the field of Food science at the Latvia University of Agriculture, Faculty of Food Technology. The theme of the promotion work is related to factors influencing fruit dessert quality - physico-chemical and structure-mechanical. The results of the research work have been presented at 14 international scientific conferences, symposiums, seminars and congresses.

Ruta Galoburda, Dr.sc.ing., professor at the Latvia University of Agriculture, Faculty of Food Technology. Scientific interests – effect of processing technologies on food quality, development of new food products. She has 97 scientific publications and participated in 10 different projects. At present R. Galoburda is a leader of the project „Sustainable use of local agricultural resources for development of high nutritive value food products (Food)” within the National Research Programme “Sustainable use of local resources (earth, food, and transport) – new products and technologies (NatRes)” (2010.-2013.)

Inta Krasnova, was born in Dobeles district in 1959. She received her M.S. degree in Food hygiene at 2008 at Latvia University of Agriculture. Presently she is a third course student of Ph.D program of Food science in Latvia University of Agriculture. Thesis of PhD studies is Quality assessment of apples and pears grown in Latvia for fresh-cut fruit salad production. The aim of the studies is to elaborate appropriate prescriptions of fresh-cut mixed fruit salads from apples and pears grown in Latvia, as well as to define the quality and shelf life of salads in different packaging materials. She has 36 published scientific articles.

Dalija Seglina, Dr.sc.ing was born in Akmenes district, Lithuania, 1961. She has received her Dr degree in Food science at University of Agriculture 2007 and now is a head of Experimental fruit and berry processing unit of Latvia State Institute of Fruit Growing. Scientific direction is studies of the novel fruit and berry processing technologies and development of new products. She has about 39 published scientific articles, author of three and co-author of two